



BMW i Motorsport  
Official Main Partner



**1 BATTERY.  
1000 POSSIBILITIES.**



**POWER X-CHANGE**

**THE REVOLUTIONARY BATTERY SYSTEM FOR  
CORDLESS FREEDOM IN THE WORKSHOP AND GARDEN.**



## THE REVOLUTIONARY BATTERY SYSTEM FOR CORDLESS FREEDOM IN THE WORKSHOP AND GARDEN.

<b>Power X-Change</b>	<b>4</b>
The revolutionary Battery System by Einhell.	4
<b>The Einhell Guarantee Promise</b>	<b>8</b>
<b>Einhell and BMW i Motorsport</b>	<b>9</b>
<b>Power Tools</b>	<b>10</b>
Cordless Drills	10
Cordless Impact Drills	13
Cordless Drywall Screwdriver	14
Cordless Impact Drivers / Wrench	15
Cordless Rotary Hammers	16
Cordless Paint/Mortar Mixers	17
Cordless Angle Grinders	18
Cordless Circular Saws	20
Cordless Jigsaws	21
Cordless All Purpose Saw	22
Cordless Mitre Saw	23
Cordless Sliding Mitre Saw	23

Cordless Multifunctional Tools	24
Cordless Rotating Sander	25
Cordless Multiple Sander	25
Cordless Hot Glue Gun	26
Cordless Car Polishing Machine	27
Cordless Polishing/Sanding Machine	27
Cordless Wet/Dry Vacuum Cleaners	28
Cordless Handheld Vacuum Cleaner	29
6-in-1 Cordless Hybrid Compressor	30
Cordless Compressor	30
Cordless Radio	31
USB Battery Adapter	31
Cordless Lamps	32
Cordless Blower	33
Accessories – Cases // Bag	34
Gas Hot Air Generator with Rechargeable Battery	35

---

**Garden Tools 36**


---

Robot Lawn Mowers	36
Cordless Lawn Mowers	38
Cordless Push Reel Mower	46
Petrol Lawn Mower (Power X-Change Electric Start)	47
Cordless Scarifiers	48
Cordless Tiller	49
Cordless Universal Spreader	49
Cordless Scythe	50
Cordless Lawn Trimmers	51
Cordless Grout Cleaner	53
Cordless Surface Brush	54
Cordless Hedge Trimmers	55
Cordless Multi-Functional Tool	58
Cordless Pole-Mounted Pruner / Cordless Telescopic Hedge Trimmer Accessories	58
Cordless Pole-Mounted Pruner	59

---

Cordless Telescopic Hedge Trimmer	59
-----------------------------------	----

---

Cordless Chainsaws	60
Cordless Chain Sharpener	61
Cordless Leaf Vacuum	62
Cordless Leaf Blowers	63
Cordless Gras and Shrub Shears	64
Cordless Pruning Saw	64
Cordless Pressure Sprayers	65
Cordless Garden Pump	66

---

**Accessories 68**


---

Batteries	68
Starter Kits	70
Chargers	71

---

**Service 72**


---



## **CORDLESS FREEDOM THANKS TO INDEPENDENT RECHARGEABLE BATTERY TECHNOLOGY.**



### **Cordless – gives you freedom on your project.**

For working freely and without restriction – without the nuisance and danger of dragging a cable behind you, without noise, fume emissions and the strain of maneuvering heavy petrol-powered equipment.

## **SAVE SMART.**

- **JUST ONE RECHARGEABLE BATTERY**
- **FOR ALL**
- **IN THE WORKSHOP AND GARDEN**



You need just a single rechargeable battery to be able to operate every tool you use in the workshop, home and garden. This means that once you have one rechargeable battery at home, in future you just buy tools without a battery. That is smart, saves stacks of money and helps protect the environment.



## EASY – FLEXIBLE. 1 BATTERY. 1000 POSSIBILITIES



**Fewer batteries to charge up. Fewer chargers.  
Less searching for the right rechargeable battery and the right charger.  
Less chaos in your storage area.**

That is perfect! The right rechargeable battery is always ready to hand. Tedious searching is a thing of the past. And on top of that, you can be sure of having a tidy basement or storeroom. When you have finished your project, simply take the battery out of the tool and insert it in the charger – and that means in the right one straightaway, because you only need the one! The next time it takes just one easy step and you are ready for action and can get started on your project immediately.



### THE ENABLERS RECOMMEND:



**CORDLESS FREEDOM.**



**SYSTEMATIC SAVINGS.**



**EASY – FLEXIBLE.**




**POWER X-CHANGE**



## ACTIVE BATTERY MANAGEMENT SYSTEM. INTELLIGENT ELECTRONIC CONTROL SYSTEM

The computer-assisted Active Battery Management System permanently monitors and controls all the safety-related processes of the electrical components and associated hardware. This results in a whole range of advantages:

- **LONGER BATTERY SERVICE LIFE**
- **MAXIMISED RUNNING TIMES**
- **OPTIMISED TOOL POWER**
- **INCREASED SAFETY**



## TWIN-PACK® TECHNOLOGY. $18\text{ V} + 18\text{ V} = 36\text{ V}.$

If a device needs more power than provided by a single 18 V rechargeable battery, we simply add a second battery so we generate  $18\text{ V} + 18\text{ V} = 36\text{ V}$ . We call that Twin-Pack® Technology. If the voltage (V) gets doubled, the power (W) gets doubled, too.

Double Twin-Pack Technology in turn makes it possible to work for even longer still without the nuisance of recharging. In this case, four rechargeable batteries are used. When the power of the first two batteries finally runs out, the system automatically switches over to the two additional batteries.

## POWER X-CHANGE PLUS.

Rechargeable batteries vary not just in terms of running time and weight. What is also critically important is the power that they provide. Power X-Change PLUS Technology makes more power available from the same number of cells, so that you can work with plenty of power even on challenging applications as well.

If, for example, you want to use your angle grinder for cutting work, the running time (see Ah rating) is generally not critical. Sufficient power, on the other hand, is. A car is a useful comparison. Uphill or when overtaking, more power, in other words more HP respectively kW, is needed.



**Ah** ≙ Tank capacity  
≙ Range

**W** ≙ Hp/kW  
≙ Power



## BRUSHLESS<sup>ENERGY</sup> – MORE EFFICIENT WORK.

Various Power X-Change devices are equipped with brushless motors. They offer significant advantages compared to carbon brush motors

- **MORE POWER**
- **LONGER RUNNING TIMES**
- **LONGER SERVICE LIFE**
- **MORE COMPACT DESIGN**
- **MAINTENANCE-FREE**



**+ 25%**  
more power\*

**+ 50%**  
more operating time\*

**+ 100%**  
more service life\*

\* Approximate values in comparison to conventional carbon brush motors

## THIS IS HOW:

**Find out** more at [einhell.de](http://einhell.de), **register** in your customer account and **apply** for the warranty. Further information is available at [www.einhell.de/warranties](http://www.einhell.de/warranties)

**einhell.de**  
>>>

## THE EINHELL GUARANTEE PROMISE.

We develop our products so that you can make everything possible. Our priority here is functionality, safety and quality. That is our promise and this is backed up by our guarantees too.

- **30 Day Money-Back Guarantee**  
For 100% satisfaction with your Power X-Change device.
- **Power X-Change Battery Warranty**  
Warranty extension for Power X-Change batteries to 2 years.
- **Einhell 2+1 Product Warranty**  
Warranty extension for all Einhell products to a total of 3 years.






BMW i Motorsport  
Official Partner



THE ENABLERS PRESENT:  
**THE NEW POWER TEAM**  
IN THE FORMULA E!



**POWER X-CHANGE**

THE REVOLUTIONARY BATTERY SYSTEM FOR  
CORDLESS FREEDOM IN THE WORKSHOP AND GARDEN.





More information and further articles can be found on our website

[www.einhell.de](http://www.einhell.de)

## CORDLESS DRILLS 18 V

**BRUSHLESS ENERGY**  
**Einhell**

- Brushless motor – more power, prolonged operation
- 13 mm metal drill chuck
- 2-speed metal gear box



### TE-CD 18 Li Brushless

**EXPERT PLUS**



- Idle speed (gear 1 / 2): 0-500 / 0-1800 min<sup>-1</sup>
- Torque (hard): 60 Nm
- Torque settings: 19+1

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger and case *E-Box*

Art. No. 45.138.51

Without battery / charger / case

Art. No. 45.138.50

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	265 pcs	350 pcs	440 pcs	530 pcs	700 pcs	920 pcs	1060 pcs

<sup>1)</sup> Battery capacity

<sup>2)</sup> Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

## CORDLESS DRILLS 18 V

### TE-CD 18 Li E



**EXPERT PLUS**

- Idle speed (gear 1 / 2): 0-400 / 0-1400 min<sup>-1</sup>
- Torque (hard): 47 Nm
- Torque settings: 8+1

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger and case *E-Box*  
Art. No. 45.138.71

Incl. 1 battery (18 V | 2.0 Ah | Li-Ion), 1 charger and case *E-Box*  
Art. No. 45.138.72

Without batteries / chargers / case Art. No. 45.138.70

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	230 pcs	300 pcs	380 pcs	450 pcs	600 pcs	790 pcs	900 pcs

### TE-CD 18/40 Li



**EXPERT**

- Idle speed (gear 1 / 2): 0-400 / 0-1500 min<sup>-1</sup>
- Torque (hard): 40 Nm
- Torque settings: 20+1

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger, case *E-Box* and 8 bits  
Art. No. 45.139.10

Incl. 2 batteries (18 V | 1.5 Ah | Li-Ion), 1 charger and case  
Art. No. 45.139.39

Without batteries / chargers / case Art. No. 45.139.25

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	230 pcs	305 pcs	380 pcs	460 pcs	610 pcs	770 pcs	920 pcs

<sup>1)</sup> Battery capacity

<sup>2)</sup> Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge



- Electronic torque setting
- 2-speed metal gear box
- LED light



- 2-speed metal gear box
- LED light
- Quick stop

## CORDLESS DRILLS 18 V



### TE-CD 18/2 Li

**EXPERT PLUS**

- Idle speed (gear 1 / 2): 0-350 / 0-1250 min<sup>-1</sup>
- Torque (hard): 44 Nm
- Torque settings: 20+1

Incl. 2 batteries (18 V | 1.5 Ah | Li-Ion), 1 charger and case

Art. No. 45.138.30

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	180 pcs	240 pcs	300 pcs	360 pcs	480 pcs	625 pcs	720 pcs

### TC-CD 18/35 Li

**CLASSIC**



- Idle speed: 0-550 min<sup>-1</sup>
- Torque (hard): 35 Nm
- Torque settings: 20+1

Incl. 1 battery (18 V | 1.5 Ah | Li-Ion) and 1 charger

Art. No. 45.139.14

Without battery / charger / case

Art. No. 45.139.27

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	220 pcs	295 pcs	366 pcs	440 pcs	590 pcs	760 pcs	880 pcs



- Compact and handy design
- LED light
- Belt clip



- 10 mm drill chuck
- Quick stop
- LED light

<sup>1)</sup> Battery capacity

<sup>2)</sup> Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

## CORDLESS IMPACT DRILLS 18 V

### TE-CD 18 Li-i Brushless

**EXPERT PLUS**



- Idle speed (gear 1 / 2): 0-500 / 0-1800 min<sup>-1</sup>
- Blow rate (gear 1 / 2): 0-8000 / 0-28800 min<sup>-1</sup>
- Torque (hard): 60 Nm

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger and case E-Box

Art. No. 45.138.61

Without batteries / chargers / case

Art. No. 45.138.60

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	265 pcs	350 pcs	440 pcs	530 pcs	700 pcs	920 pcs	1060 pcs

### TE-CD 18/48 Li-i

**EXPERT**



- Idle speed (gear 1 / 2): 0-400 / 0-1500 min<sup>-1</sup>
- Blow rate (gear 1 / 2): 0-6400 / 0-24000 min<sup>-1</sup>
- Torque (hard): 48 Nm

Incl. 1 battery (18 V | 2.0 Ah | Li-Ion), 1 charger and case E-Box

Art. No. 45.139.16

Without battery / charger / case

Art. No. 45.139.26

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	230 pcs	310 pcs	380 pcs	460 pcs	620 pcs	780 pcs	910 pcs

**BRUSHLESS  
ENERGY**  
**Einhell**

- Brushless motor – more power, prolonged operation
- 13 mm metal drill chuck
- 2-speed metal gear box



- 13 mm metal drill chuck
- Quick stop
- LED light

<sup>1)</sup> Battery capacity

<sup>2)</sup> Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge



More information and further articles can be found on our website

[www.einhell.de](http://www.einhell.de)

## CORDLESS DRYWALL SCREWDRIVER 18 V



- Continuous operation setting
- Werkzeuglose Tiefeneinstellung
- Speed electronics



### TE-DY 18 Li

**EXPERT**

- Idle speed: 0-4000 min<sup>-1</sup>
- Torque (soft): 6 Nm
- Bit mount: Internal hexagon 6.35 mm (¼")

Article includes case *E-Box* but no battery / charger

Art. No. 42.599.80

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	800 pcs	1100 pcs	1350 pcs	1600 pcs	2200 pcs	2800 pcs	3300 pcs

<sup>1)</sup> Battery capacity

<sup>2)</sup> Screwing 3.9 x 25 mm screws into drywall – max. quantity per battery charge



## CORDLESS IMPACT WRENCH 18 V



### TE-CW 18 Li Brushless

**EXPERT PLUS**

- Idle speed: 0-2900 min<sup>-1</sup>
- Torque (hard): 215 Nm
- Bit mount: External square 12.5 mm (½") – incl. bit adapter

Article only available without battery / charger / case

Art. No. 45.100.40

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	110 pcs	150 pcs	180 pcs	225 pcs	300 pcs	390 pcs	450 pcs

## CORDLESS IMPACT DRIVERS 18 V



### TE-CI 18 Li Brushless

**EXPERT PLUS**

- Idle speed: 0-2900 min<sup>-1</sup>
- Torque (hard): 180 Nm
- Bit mount: Internal hexagon 6.35 mm (¼")

Article only available without battery / charger / case

Art. No. 45.100.30

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>3)</sup>	210 pcs	280 pcs	350 pcs	420 pcs	560 pcs	730 pcs	840 pcs

### TE-CI 18/1 Li

**EXPERT PLUS**



- Idle speed: 0-2300 min<sup>-1</sup>
- Torque (hard): 140 Nm
- Bit mount: Internal hexagon 6.35 mm (¼")

Incl. 1 battery (18 V | 2.0 Ah | Li-Ion), 1 charger and case E-Box

Art. No. 45.100.36

Without battery / charger / case

Art. No. 45.100.34

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>3)</sup>	140 pcs	185 pcs	230 pcs	280 pcs	370 pcs	520 pcs	560 pcs

 BRUSHLESS  
ENERGY  
Einhell

- Brushless motor – more power, prolonged operation
- Very high torque – suitable for changing tyres
- ½" external square drive mount



- Brushless motor – more power, prolonged operation
- Short and lightweight design
- High torque

 BRUSHLESS  
ENERGY  
Einhell


- Short design
- 3 power LEDs
- Belt clip

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. number of wheel bolts (hexagon head, wrench size 22 mm) that can be screwed in and out per battery charge

<sup>3)</sup> Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

## CORDLESS ROTARY HAMMERS 18 V




### HEROCCO

**EXPERT PLUS**

- Idle speed: 0-1200 min<sup>-1</sup>
- Impact power: 2.2 J
- Drilling capacity, concrete: 20 mm
- Drill chuck: SDS-plus
- Incl. magnetic bit adapter

Article includes case *E-Box* but no battery / charger

Art. No. 45.139.00

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	250 pcs	335 pcs	417 pcs	500 pcs	670 pcs	870 pcs	1000 pcs
 <sup>3)</sup>	65 pcs	87 pcs	108 pcs	130 pcs	174 pcs	225 pcs	260 pcs

For best performance select a battery with at least 3.0 Ah

### TE-HD 18 Li

**EXPERT PLUS**




- Idle speed: 0-1100 min<sup>-1</sup>
- Impact power: 1.2 J
- Drilling capacity, concrete: 12 mm
- Drill chuck: SDS-plus
- Incl. magnetic bit adapter

Incl. 1 battery (18 V | 1.5 Ah | Li-Ion), 1 charger and case

Art. No. 45.138.10

Without battery / charger / case

Art. No. 45.138.12

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	180 pcs	240 pcs	300 pcs	360 pcs	480 pcs	620 pcs	720 pcs
 <sup>3)</sup>	45 pcs	60 pcs	75 pcs	90 pcs	120 pcs	156 pcs	180 pcs

<sup>1)</sup> Battery capacity

<sup>2)</sup> Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

<sup>3)</sup> Ø 6 mm / 50 mm in concrete – max. quantity per battery charge



## CORDLESS PAINT/MORTAR MIXER 18 V



- Ergonomic, handy design
- Speed electronics
- Soft start

### TE-MX 18 Li

**EXPERT**

- Idle speed: 0-620 min<sup>-1</sup>
- Stirrer mount: M14
- Incl. 1 mortar stirrer (ø 100 mm)

Article only available without battery / charger / case

Art. No. 42.587.60

Battery <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
Max. operating time <sup>2)</sup>	18 min	24 min	30 min	36 min	48 min	62 min	72 min
Mixing time <sup>3)</sup>	15 min	20 min	25 min	30 min	40 min	52 min	60 min
Mixing time <sup>4)</sup>	12 min	16 min	20 min	24 min	32 min	42 min	48 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode

<sup>3)</sup> Mischdauer Wandfarbe je Akkuladung

<sup>4)</sup> Mischdauer Mörtel je Akkuladung



More information and further articles can be found on our website

[www.einhell.de](http://www.einhell.de)



More information and further articles can be found on our website

[www.einhell.de](http://www.einhell.de)

## CORDLESS ANGLE GRINDERS 18 V



- Brushless motor – more power, prolonged operation
- Soft start
- Disc guard with quick adjust facility





### AXXIO

### EXPERT PLUS

- Idle speed: 8500 min<sup>-1</sup>
- Wheel diameter: 125 mm
- Max. cutting depth 33 mm

Article only available without battery / charger / case <sup>3)</sup>

Art. No. 44.311.40

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	22 pcs	33 pcs	37 pcs	46 pcs	61 pcs	85 pcs	92 pcs

For best performance select a battery with at least 2.5 Ah

<sup>1)</sup> Battery capacity

<sup>2)</sup> Cutting through pieces of round steel with diameters of 12 mm – max. quantity per battery charge

<sup>3)</sup> Cutting/grinding discs not included

## CORDLESS ANGLE GRINDERS 18 V

### TE-AG 18/115 Li

**EXPERT PLUS**



- Idle speed: 8500 min<sup>-1</sup>
- Wheel diameter: 115 mm
- Max. cutting depth 28 mm

Incl. 1 battery (18 V | 3.0 Ah | Li-Ion), 1 charger and case E-Box <sup>3)</sup>

Art. No. 44.311.19

Without battery / charger / case <sup>2)</sup>

Art. No. 44.311.10

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	15 pcs	20 pcs	25 pcs	30 pcs	40 pcs	60 pcs	70 pcs

For best performance select a battery with at least 2.5 Ah



- Soft start
- Disc guard with quick adjust facility
- Spindle lock



### TC-AG 18/115 Li

**CLASSIC**

- Idle speed: 8500 min<sup>-1</sup>
- Wheel diameter: 115 mm
- Max. cutting depth 28 mm

Article only available without battery / charger / case <sup>3)</sup>

Art. No. 44.311.30

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	15 pcs	20 pcs	25 pcs	30 pcs	40 pcs	60 pcs	70 pcs

For best performance select a battery with at least 2.5 Ah



- Soft start
- Restart safeguard
- Spindle lock

<sup>1)</sup> Battery capacity

<sup>2)</sup> Cutting through pieces of round steel with diameters of 12 mm – max. quantity per battery charge

<sup>3)</sup> Cutting/grinding discs not included



## CORDLESS CIRCULAR SAWS 18 V



### TE-CS 18/190 Li BL

**EXPERT PLUS**

- Idle speed: 3800 min<sup>-1</sup>
- Saw blade: ø 190 x ø 20/30 mm
- Cutting depth bei 45° / 90°: 45 mm / 65 mm

Article only available without battery / charger / case

Art. No. 43.312.10

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	18 m	24 m	30 m	37 m	49 m	63 m	73 m

For best performance select a battery with at least 2.5 Ah



### TE-CS 18/165 Li

**EXPERT PLUS**

- Idle speed: 4200 min<sup>-1</sup>
- Saw blade: ø 165 x ø 20 mm
- Cutting depth 45° / 90°: 35 mm / 54 mm

Article only available without battery / charger / case

Art. No. 43.312.04

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	25 m	33 m	40 m	49 m	64 m	82 m	98 m



### TE-CS 18 Li

**EXPERT PLUS**

- Idle speed: 4200 min<sup>-1</sup>
- Saw blade: ø 150 x ø 10/16 mm
- Cutting depth 45° / 90°: 32 mm / 48 mm

Article only available without battery / charger / case

Art. No. 43.312.00

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	23 m	30 m	38 m	45 m	60 m	78 m	90 m

<sup>1)</sup> Battery capacity

<sup>2)</sup> Cutting capacity for 19 mm chipboard – max. cutting capacity per battery charge



**NEW**

- Brushless motor – more power, prolonged operation
- Toolless adjustment (cutting depth/tilt angle)
- LED light
- Aluminium base plate



- Toolless adjustment (cutting depth/tilt angle)
- LED light
- Aluminium base plate



- Toolless adjustment (cutting depth/tilt angle)
- Safety lock-off on both sides
- LED light

## CORDLESS JIGSAWS 18 V



### TE-JS 18 Li

**EXPERT PLUS**

- Stroke speed: 0 - 2400 min<sup>-1</sup>
- Cutting depth (wood / plastic / steel): 80 / 12 / 10 mm
- Product weight: 1.8 kg (excl. battery)

Article only available without battery / charger / case

Art. No. 43.212.00

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	7 m	9.5 m	11 m	14 m	20 m	30 m	32 m



- Universal blade holder
- Pendulum action (4 settings)
- Toolless saw blade change
- LED light



### TC-JS 18 Li

**CLASSIC**

- Stroke speed: 0 - 2700 min<sup>-1</sup>
- Cutting depth (wood / plastic / steel): 70 / 10 / 8 mm
- Product weight: 1.8 kg (excl. battery)

Article includes high quality KWB saw blade but no battery / charger / case

Art. No. 43.212.09

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	7 m	9.5 m	11 m	14 m	20 m	30 m	32 m

**NEW**

- Pendulum action (4 settings)
- Toolless saw blade change
- Dust blow-off function



<sup>1)</sup> Battery capacity

<sup>2)</sup> Cutting capacity for 19 mm chipboard – max. cutting capacity per battery charge



More information and further articles can be found on our website  
[www.einhell.de](http://www.einhell.de)

## CORDLESS ALL PURPOSE SAW 18 V



- Toolless saw blade change
- Toolless soleplate adjustment
- Ergonomic, compact design



### TE-AP 18 Li

**EXPERT PLUS**

- Stroke speed: 0 - 2600 min<sup>-1</sup>
- Stroke height: 22 mm
- Cutting depth (wood / steel): 100 / 6 mm
- Sawblade thickness: 0.6 - 1.6 mm

Article only available without battery / charger / case

Art. No. 43.263.00

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	140 pcs	185 pcs	240 pcs	290 pcs	370 pcs	570 pcs	580 pcs

<sup>1)</sup> Battery capacity

<sup>2)</sup> Round timber Ø 35 mm – max. number of cuts per battery charge



## CORDLESS MITRE SAW 18 V

### TE-MS 18/210 Li

**EXPERT**

- Idle speed: 3000 min<sup>-1</sup>
- Saw blade / number of teeth: ø 210 x ø 30 x 1.8 mm / 40
- Swivelling range: -47° to +47°
- Mitre cut: 0° to 45° to the left
- Cutting capacity: 120 x 60 mm

Article only available without battery / charger      Art. No. 43.008.90

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	72 pcs	103 pcs	120 pcs	154 pcs	190 pcs	250 pcs	304 pcs

For best performance select a battery with at least 2.5 Ah

<sup>1)</sup> Battery capacity

<sup>2)</sup> Square timber 60 x 60 mm (soft wood) – max. number of cuts per battery charge

<sup>3)</sup> Laminate 195 x 8 mm – max. number of cuts per battery charge


- Specially developed high-quality precision saw blade
- Laser and LED for easy and safe use
- X-Tend work supports with single hand operation facility and integrated limit stop for repeat cutting




## CORDLESS SLIDING MITRE SAW 36 V

### TE-SM 36/210 Li

**EXPERT**

- Idle speed: 3800 min<sup>-1</sup>
- Saw blade / number of teeth: ø 210 x ø 30 x 1.8 mm / 40
- Swivelling range: -47° to +47°
- Mitre cut: 0° to 45° to the left
- Cutting capacity 90° x 90°: 310 x 65 mm

Article only available without battery / charger      Art. No. 43.008.80

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	140 pcs	185 pcs	230 pcs	275 pcs	370 pcs	480 pcs	555 pcs
 <sup>3)</sup>	263 pcs	350 pcs	435 pcs	525 pcs	700 pcs	910 pcs	1050 pcs

<sup>1)</sup> Battery capacity (2x Akku benötigt)

<sup>2)</sup> Square timber 60 x 60 mm (soft wood) – max. number of cuts per battery charge

<sup>3)</sup> Laminate 195 x 8 mm – max. number of cuts per battery charge

- Specially developed high-quality precision saw blade
- Laser and LED for easy and safe use
- Powerful 36 V motor (2x 18 V)



## CORDLESS MULTIFUNCTIONAL TOOLS 18 V





### VARRITO

**EXPERT PLUS**

- Oscillating speed: 22000 - 40000 min<sup>-1</sup>
- Oscillation angle: 3.2°
- Abrasive paper size: 93 x 93 x 93 mm
- Incl. 15-piece accessory set

Article only available without battery / charger / case

Art. No. 44.651.60

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	23 min	30 min	38 min	45 min	60 min	78 min	90 min
 <sup>3)</sup>	540 pcs	720 pcs	900 pcs	1080 pcs	1440 pcs	1880 pcs	2160 pcs
 <sup>4)</sup>	100 pcs	134 pcs	166 pcs	200 pcs	268 pcs	340 pcs	400 pcs



- Quick release
- Magnetic tool fixation
- Speed electronics





### TC-MG 18 Li

**CLASSIC**

- Oscillating speed: 22000 - 40000 min<sup>-1</sup>
- Oscillation angle: 3.2°
- Abrasive paper size: 93 x 93 x 93 mm
- Incl. 13-piece accessory set

Article only available without battery / charger / case

Art. No. 44.651.70

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	23 min	30 min	38 min	45 min	60 min	78 min	90 min
 <sup>3)</sup>	540 pcs	720 pcs	900 pcs	1080 pcs	1440 pcs	1880 pcs	2160 pcs
 <sup>4)</sup>	100 pcs	134 pcs	166 pcs	200 pcs	268 pcs	340 pcs	400 pcs



- Magnetic tool fixation
- Speed electronics
- Ergonomic, handy design

<sup>1)</sup> Battery capacity

<sup>2)</sup> Operating time per battery charge in idle mode

<sup>3)</sup> Round plastics Ø 10 mm – max. number of cuts per battery charge

<sup>4)</sup> Round steel Ø 6 mm – max. number of cuts per battery charge



## CORDLESS ROTATING SANDER 18 V



### TE-RS 18 Li

**EXPERT PLUS**

- Oscillating speed: 14000 - 22000 min<sup>-1</sup>
- Oscillating circuit, ø: 2.0 mm
- Abrasive paper, ø: 125 mm
- Incl. abrasive paper (1 pc.)

Article only available without battery / charger / case

Art. No. 44.620.10

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	15 min	20 min	25 min	30 min	40 min	52 min	60 min



- Speed electronics
- Hook and loop fastening
- Dust extraction

## CORDLESS MULTIPLE SANDER 18 V



### TE-OS 18/150 Li

**EXPERT PLUS**

- Oscillating speed: 24000 min<sup>-1</sup>
- Oscillating circuit ø: 1.6 mm
- Abrasive paper size: 150 x 150 x 100 mm
- Incl. abrasive papers (6 pcs)

Article only available without battery / charger / case

Art. No. 44.607.08

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	23 min	27 min	34 min	40 min	55 min	70 min	80 min

- Small, compact and handy
- Hook and loop fastening
- Dust extraction



<sup>1)</sup> Battery capacity

<sup>2)</sup> Operating time per battery charge in idle mode

More information and further articles can be found on our website  
[www.einhell.de](http://www.einhell.de)

## CORDLESS HOT GLUE GUN 18 V

- LED heat level indicator
- Disengageable LED light
- Changeable glueing nozzle





### TE-CG 18 Li

**EXPERT**

- Warm up time: 120 s
- Max. temperature: 170°C
- Glue stick length / diameter: 200 mm / 11 mm
- Incl. 5 glue sticks and flat glueing nozzle

Article only available without battery / charger / case

Art. No. 45.222.00

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	14 pcs	18 pcs	22 pcs	28 pcs	36 pcs	44 pcs	50 pcs

<sup>1)</sup> Battery capacity

<sup>2)</sup> Glue sticks Ø 11 mm, length 200 mm – max. number per battery charge

## CORDLESS CAR POLISHING MACHINE 18 V



### CE-CB 18/254 Li



- Idle speed: 2500 min<sup>-1</sup>
- Diameter: 254 mm

Article only available without battery / charger / case

Art. No. 20.933.01

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	56 min	81 min	93 min	112 min	127 min	200 min	222 min

For best performance select a battery with at least 2.5 Ah



- Handy and robust
- Soft grip for comfortable operation
- Incl. 1 textile polishing bonnet and 1 synthetic polishing bonnet

## CORDLESS POLISHING/SANDING MACHINE 18 V



### CE-CP 18/180 Li E

EXPERT PLUS

- Idle speed: 500 - 3000 min<sup>-1</sup>
- Diameter: 180 mm

Article only available without battery / charger / case

Art. No. 20.933.20

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	17 min	20 min	25 min	35 min	43 min	54 min	65 min

For best performance select a battery with at least 2.5 Ah



- Brushless motor – more power, longer operating times
- Speed control electronics
- Hook and loop fastening for changing the attachments quickly



<sup>1)</sup> Battery capacity

<sup>2)</sup> Operating time per battery charge in idle mode




## CORDLESS WET/DRY VACUUM CLEANER 36 V

### TE-VC 36/30 Li S

**EXPERT PLUS**

- Suction power: 150 mbar / 100 mbar (ECO / BOOST)
- Tank volume: 30 l
- Nozzles: crevice, upholstery, combination nozzle (1x each)
- Accessories: foam filter, pleated filter and dirt bag (1x each)

Article only available without battery / charger Art. No. 23.471.40

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	8 min	11 min	13 min	16 min	22 min	28 min	33 min
 <sup>3)</sup>	6 min	8 min	10 min	12 min	16 min	21 min	24 min

For best performance select a battery with at least 3.0 Ah

<sup>1)</sup> Battery capacity (2x Akku benötigt)

<sup>2)</sup> Operating time per battery charge in idle mode (ECO mode)

<sup>3)</sup> Operating time per battery charge in idle mode (BOOST mode)



## CORDLESS WET/DRY VACUUM CLEANERS 18 V

### TC-VC 18/20 Li S

**CLASSIC**

- Suction power: 80 mbar
- Tank volume: 20 l
- Nozzles: crevice, upholstery, combination nozzle (1x each)
- Accessories: foam filter, pleated filter and dirt bag (1x each)

Article only available without battery / charger Art. No. 23.471.30

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	8 min	10 min	11 min	16 min	20 min	25 min	32 min

For best performance select a battery with at least 2.5 Ah

<sup>1)</sup> Battery capacity

<sup>2)</sup> Operating time per battery charge in idle mode



**TWIN-PACK®**  
18V > 36V  
TECHNOLOGY

- 2 speeds (ECO / BOOST)
- Heavy-duty suction hose
- Twin-Pack® Technology



- Suitable for wet vacuuming
- Stainless steel tank, rust-proof and sturdy
- Blow connection



## CORDLESS WET/DRY VACUUM CLEANERS 18 V

### TE-VC 18/10 Li

**EXPERT**

- Suction power: 90 mbar
- Tank volume: 10 l
- Nozzles: Combination crevice nozzle and combination upholstery nozzle (1x each)
- Accessories: foam filter, permanent filter and dirt bag (1x each)

Article only available without battery / charger     Art. No. 23.471.60

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	8 min	10 min	12 min	17 min	21 min	26 min	30 min

For best performance select a battery with at least 2.5 Ah



- Suitable for wet vacuuming
- Extendable hose
- Lightweight and mobile



## CORDLESS HANDHELD VACUUM CLEANER 18 V

### TE-VC 18 Li

**EXPERT PLUS**

- Suction power: 42 mbar
- Tank volume: 0.54 l
- Nozzles: crevice, upholstery, combination nozzle (1x each)
- Accessories: wall bracket, washable synthesis filter (1x each)

Article only available without battery / charger     Art. No. 23.471.20

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	12 min	16 min	18 min	23 min	31 min	40 min	46 min

- Easy cleaning
- Extensive accessories
- Wall bracket



<sup>1)</sup> Battery capacity

<sup>2)</sup> Operating time per battery charge in idle mode





## 6-IN-1 CORDLESS HYBRID COMPRESSOR 18 V

### PRESSITO

**EXPERT**

- Mains connection: 220 - 240 V ~ 50 Hz
- Suction power: 21 l/min
- Max. output rate 0|4|7 bar: 16|10|8 l/min
- Max. operating pressure: 11 bar

Article only available without battery / charger Art. No. 40.204.60

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	20 min	30 min	37 min	45 min	60 min	85 min	90 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Operating time per battery charge in idle mode



- Hybrid function – for use with a power cable or a rechargeable battery
- Incl. adapters for balls, tyres and air mattresses
- High pressure pumping, low pressure pumping/suction




## CORDLESS COMPRESSOR 36 V

### TE-AC 36/6/8 Li OF Set

**EXPERT**

- Suction power: 130 l/min
- Max. output rate 0|4|7 bar: 90|55|38 l/min
- Tank capacity: 6 l
- Max. operating pressure: 8 bar
- Incl. compressed air hose, blow-out gun, tyre pressure gauge and several adapters

Article only available without battery / charger Art. No. 40.204.50

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	20 pcs	25 pcs	29 pcs	40 pcs	50 pcs	60 pcs	80 pcs
 <sup>3)</sup>	330 pcs	400 pcs	435 pcs	660 pcs	800 pcs	900 pcs	1320 pcs

<sup>1)</sup> Battery capacity (2x Akku benötigt)

<sup>2)</sup> Tank pressure build-up cycles per battery charge

<sup>3)</sup> Weichholz – max. Anzahl Tackern (13 mm Klammern) je Akkuladung



- Oil-free, service-free motor
- Twin-Pack® Technology
- Incl. extensive accessories



## CORDLESS RADIO 18 V



### TE-CR 18 Li

**EXPERT PLUS**

- AM frequency: 522 - 1620 kHz
- FM frequency: 87.5 - 108 MHz
- Station memory (AM / FM): 10 / 10

Article only available without battery / charger / case

Art. No. 34.080.15

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah
 <sup>2)</sup>	10 h	13 h	16 h	20 h	26,5 h	34,5 h

<sup>1)</sup> Battery capacity

<sup>2)</sup> Operating time per battery charge

- LCD display
- Integrated antenna
- AUX-IN connection



## USB BATTERY ADAPTER 18 V



### TE-CP 18 Li USB

**EXPERT PLUS**

- USB connections: 2
- Output current USB 1: 1.0 A
- Output current USB 2: 2.1 A

Article only available without battery / charger / case

Art. No. 45.141.20

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	8 h	12 h	13,5 h	16 h	24 h	32 h	36 h

<sup>1)</sup> Battery capacity

<sup>2)</sup> Charging time per battery charge



- 2 USB ports
- Charging mobile phones or tablets
- LED status indicator

## CORDLESS LAMPS 18 V



### TE-CL 18/2000 LiAC

**EXPERT**

- Mains connection: 100 - 240 V ~ 50 - 60 Hz
- Cable length: 2 m
- Luminosity: 1000 lm / 1500 lm / 2000 lm
- Light source: 20 LEDs

Article only available without battery / charger / case

Art. No. 45.141.14

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	87 min	115 min	145 min	174 min	230 min	300 min	345 min



### TE-CL 18 Li H

**EXPERT PLUS**

- Luminosity: 280 lm
- Light source: 1 LED

Article only available without battery / charger / case

Art. No. 45.141.30

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	8 h	10 h	12 h	16 h	22 h	32 h	33 h



### TE-CL 18 Li

**EXPERT PLUS**

- Luminosity: 270 lm
- Light source: 3 LEDs

Article only available without battery / charger / case

Art. No. 45.141.10

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	8 h	10 h	12 h	16 h	22 h	32 h	33 h

<sup>1)</sup> Battery capacity

<sup>2)</sup> Luminous period per battery charge

- Hybrid function – for use with a power cable or a rechargeable battery
- 3-step luminosity adjustment
- 360° swivelling lamp head



- High-quality LED of the company Cree Ltd.
- Swivelling lamp head
- Metal hook



- Swivelling lamp head
- Adjustable light beam
- Space-saving foldable



## CORDLESS BLOWER 18 V

- 2-step speed adjustment
- Lightweight design
- Small and handy





### TE-CB 18/180 Li

**EXPERT**

- Blow velocity: 130 km/h | 180 km/h
- Idle speed (step 1 / 2): 11500 min<sup>-1</sup> / 15500 min<sup>-1</sup>
- Incl. 3 inflation nozzles

Article only available without battery / charger / case

Art. No. 34.080.01

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	31 min	39 min	48 min	62 min	68 min	100 min	124 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Performance at setting 1 per battery charge in idle mode



More information and further articles can be found on our website

[www.einhell.de](http://www.einhell.de)





## ACCESSORIES – CASES

### **E-Box L70**

- Items supplied: 1 universal case
- Internal dimensions: 670 x 110 x 300 mm
- External dimensions: 700 x 250 x 350 mm
- Load capacity: 50 kg

Art. No. 45.300.54



### **E-Box M55**

- Items supplied: 1 universal case
- Internal dimensions: 510 x 327 x 124 mm
- External dimensions: 550 x 400 x 150 mm
- Load capacity: 30 kg

Art. No. 45.300.49



### **E-Box S35**

- Items supplied: 1 universal case
- Internal dimensions: 310 x 250 x 89,5 mm
- External dimensions: 350 x 330 x 110 mm
- Load capacity: 12 kg

Art. No. 45.300.45



## ACCESSORIES – BAG

### **Einhell Bag 45/22**

- Items supplied: 1 universal bag
- Internal dimensions: 390 x 200 x 190 mm
- External dimensions: 450 x 220 x 350 mm
- Load capacity: 15 kg

Art. No. 45.300.37





## GAS HOT AIR GENERATOR WITH RECHARGEABLE BATTERY



- No power supply necessary
- Housing made of stainless steel
- Piezo ignition



★ Article only available in Germany and Austria

### GE-HG 18/370 Niro Li

**EXPERT PLUS**

- Heating output: 37 kW
- Hot-air flow: 1000 m³/h
- Gas consumption max.: 2693 g/h
- Operating pressure max.: 1.5 bar

Article only available without battery / charger      Art. No. 23.308.05

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	90 min	140 min	160 min	180 min	280 min	330 min	380 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge



More information and  
further articles can be  
found on our website

[www.einhell.de](http://www.einhell.de)





## ROBOT LAWN MOWERS

### FREELEXO+

**EXPERT**

- Cutting width: 18 cm
- Cutting height adjustment: infinitely / 20 - 60 mm / central
- Suitable for slopes up to 35%

Article only available without battery / accessories

Art. No. 34.139.50

[Artikel auch als kundenindividuelle Komplettvarianten \(Kits\) erhältlich](#)

- Individual programming/control via smart phone/APP (Bluetooth)
- Multi-zone mowing mode - for irregularly shaped gardens
- Intuitive keypad with LCD display

**NEW**



### FREELEXO

**EXPERT**

- Cutting width: 18 cm
- Cutting height adjustment: infinitely / 20 - 60 mm / central
- Suitable for slopes up to 35%

Article only available without battery / accessories

Art. No. 34.139.40

[Artikel auch als kundenindividuelle Komplettvarianten \(Kits\) erhältlich](#)

- Individual programming/control via smart phone/APP (Bluetooth)
- Multi-zone mowing mode - for irregularly shaped gardens
- Intuitive keypad

**NEW**





**RAIN SENSOR**  
for lawn-friendly operation



**APP**  
Control via smart phone through Bluetooth



**PROGRAMMABLE OPERATING TIME**  
*Individuelle, tagesgenaue Zeitplangestaltung*



**LCD DISPLAY**  
(only FREELEXO+)  
for easier control on the product



**MULTI-ZONE MOWING FUNCTION**  
for irregularly shaped gardens



**SAFETY SENSOR SYSTEM**  
Impact, lift and tilt sensor for maximum safety



**ANTI-THEFT PROTECTION**  
in form of PIN code



**SILENT**  
Your garden – your oasis of silence

## TWO WAYS TO YOUR INDIVIDUAL FREELEXO

Choose the model you want from the FREELEXO series and the accessories which are appropriate for your garden. You can choose between an installation kit which contains a rechargeable battery and all the required components, or a cable kit with an additional rechargeable battery pack if there is not one already.

### Option 1: FREELEXO & Installation Kit



Model:  
**FREELEXO+ or  
FREELEXO**

Installation Kit <sup>1)</sup>:  
**500 m<sup>2</sup>** (Art. No. 34.140.10) or  
**800 m<sup>2</sup>** (Art. No. 34.140.11) or  
**1200 m<sup>2</sup>** (Art. No. 34.140.12)

### Option 2: FREELEXO & Starter Kit & Cable Kit



Model:  
**FREELEXO+ or  
FREELEXO**

Starter Kit <sup>2)</sup>:  
**2.5 Ah** (Art. No. 45.120.97)  
or  
**4.0 Ah** (Art. No. 45.120.42)

Kabel-Kit <sup>3)</sup>:  
**500 m<sup>2</sup>** (Art. No. 34.140.01) or  
**700 m<sup>2</sup>** (Art. No. 34.140.02) or  
**900 m<sup>2</sup>** (Art. No. 34.140.03) or  
**1100 m<sup>2</sup>** (Art. No. 34.140.04)

<sup>1)</sup> Installation Kits **beinhalten**: Battery, fast charger, perimeter wire, fastening hooks, connection clamps, spare blades

<sup>2)</sup> Starter-Kits **beinhalten**: Battery, fast charger

<sup>3)</sup> Kabel-Kits **beinhalten**: Perimeter wire, fastening hooks, connection clamps, spare blades

## CORDLESS LAWN MOWER 36 V – THE TEST WINNER.

Cordless lawn mowers let you enjoy cordless freedom. In addition, they are more practical, safer and just as powerful as electric lawn mowers and at the same time quieter, lighter and virtually emission and maintenance-free compared to their petrol-powered counterparts.

The GE-CM 43 Li M stands out clearly from the competition in terms of performance and quality: In the 04/2019 issue of **Stiftung Warentest** (the German consumer testing magazine), 11 cordless lawn mowers were tested. Einhell's **GE-CM 43 Li M** cordless lawn mower was rated GOOD (2.3) and came out as the **test winner**. You can see for yourself what Stiftung Warentest wrote in the illustration to the left. Stiftung Warentest also added:



- “System families allow one and the same rechargeable battery to be used for a range of different tools with the same voltage [...]. If the tool is available without a battery, this means that purchase costs can be saved. In addition, it also protects the environment [...].”

In **Selbst ist der Mann** (another German consumer testing magazine), in the 06/2019 issue, the GE-CM 43 Li M also scored a success: the **PRICE TIP**.

- “For virtually the same successful mowing and collecting results as the test winner which is almost double the price, the tool offers the advantage of more versatile rechargeable battery system [...].”
- “It is practical to have rechargeable batteries, as is the case with Einhell [...], which can be used in a large family of tools which also includes not just gardening tools as well. To make up for differences in the power supply, a number of rechargeable batteries can be connected together where required.: This means that two 18 V can be put together to make 36 V.”



“Test winner.  
Runs well, cuts  
well” \*

“In an endurance  
test [...] only two  
do a proper job” \*

“[...] Really durable” \*

“Top  
handling.” \*

“Really good value.” \*

“One of the best in  
the test for battery  
charging time.” \*

\* Source:  
Stiftung Warentest 04/2019



### 3-IN-1-FUNCTION

Mowing, mulching and catching.

### LONG HANDLE

The height-adjustable long handle with 3 settings allows a perfect adjustment to users of all sizes.

### GRASS COLLECTION BOX WITH LEVEL INDICATOR

The large grass box (63 l) is equipped with a level indicator so that you can see at a glance when it is time to empty it.

### LAWN-FRIENDLY REAR WHEELS

The specially developed high and wide rear wheel with broad surface area are gentle on the grass and enable cutting over rough terrain.



### GE-CM 43 Li M

**EXPERT PLUS**

- Cutting width: 43 cm
- For lawn areas of up to approx. 1) : 600 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 - 75 mm / central

Incl. 2 batteries (18 V | 4.0 Ah | Li-Ion) and 2 chargers

Art. No. 34.131.30

 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 2)	225 m <sup>2</sup>	300 m <sup>2</sup>	350 m <sup>2</sup>	450 m <sup>2</sup>	600 m <sup>2</sup>	750 m <sup>2</sup>	900 m <sup>2</sup>

For best performance select a battery with at least 2.5 Ah

1) Battery capacity (2x Akku benötigt)

2) Max. lawn area that can be mown per battery

(The stated area coverage is based on the assumption of ideal conditions)

### QUICK FASTENERS

With the practical quick fasteners an easy, quick and space-saving storage of the lawn mower is possible even in the smallest garage.

### BRUSHLESS MOTOR

More power and longer operating times.



Cordless Lawn Mower  
GE-CM 43 Li M

### POWER X-CHANGE LITHIUM-ION BATTERIES

The rechargeable batteries can be used in all the devices from the Power X-Change family.

### TWIN-PACK®

18V + 18V = 36V

TECHNOLOGY

### TWIN-PACK® TECHNOLOGY

If a device needs more power than provided by a single 18 V rechargeable battery, we simply add a second battery so we generate 18 V + 18 V = 36 V. We call that Twin-Pack® Technology. If the voltage (V) gets doubled, the power (W) gets doubled, too.








## CORDLESS LAWN MOWERS 36 V

### GE-CM 36/47 S HW Li

**EXPERT**

- Cutting width: 47 cm
- Recommended for lawn areas up to: 700 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 30 - 65 mm / central
- Double Twinpack Technology (see below)
- 5-in-1 function: mowing, mulching, side discharge, deflector rear discharge, catching

Incl. 4 batteries (18 V | 4.0 Ah | Li-Ion) and 2 Twin Chargers  
Art. No. 34.132.00

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	125 m <sup>2</sup>	175 m <sup>2</sup>	215 m <sup>2</sup>	250 m <sup>2</sup>	350 m <sup>2</sup>	500 m <sup>2</sup>	600 m <sup>2</sup>
 <sup>3)</sup>	250 m <sup>2</sup>	350 m <sup>2</sup>	430 m <sup>2</sup>	500 m <sup>2</sup>	700 m <sup>2</sup>	1000 m <sup>2</sup>	1200 m <sup>2</sup>

For best performance select a battery with at least 2.5 Ah

<sup>1)</sup> Battery capacity (2x Akku benötigt)

<sup>2)</sup> Max. lawn area that can be mown per battery charge with 2 batteries

<sup>3)</sup> Max. lawn area that can be mown per battery charge with 4 batteries  
(The stated area coverage is based on the assumption of ideal conditions)



- Brushless motor – more power, longer operating times
- Cleaning and storage position
- Variable wheeldrive



### DOUBLE TWINPACK TECHNOLOGY

Double Twinpack devices have slots for two additional rechargeable batteries. For example with the GE-CM 36/47 HS Li, there is slots for two additional batteries, so four in total. If all four batteries are in the mower then you can mow double the area without re-charging.

Example (GE-CM 36/47 HW Li):

Twin-Pack 2x 18 V = 500 m<sup>2</sup>

Double Twinpack 2x 18 V + 2x 18 V = 500 m<sup>2</sup> + 500 m<sup>2</sup> = 1000 m<sup>2</sup>



## CORDLESS LAWN MOWERS 36 V


**5-IN-1**

 MOWING  
 MULCHING  
 SIDE DISCHARGE  
 DEFLECTOR REAR  
 DISCHARGE  
 CATCHING

**BRUSHLESS**

ENERGY

Einhell

- Brushless motor – more power, longer operating times
- 5-in-1 function
- Cleaning and storage position

**DOUBLE  
TWINPACK  
TECHNOLOGY**

### GE-CM 36/47 HW Li

**EXPERT PLUS**

- Cutting width: 47 cm
- Recommended for lawn areas up to: 500 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 30 - 65 mm / central
- Double Twinpack Technology (see page 40)
- 5-in-1 function: mowing, mulching, side discharge, deflector rear discharge, catching

Incl. 2 batteries (18 V | 4.0 Ah | Li-Ion) and 2 chargers Art. No. 34.131.60

<sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
<sup>2)</sup>	150 m <sup>2</sup>	250 m <sup>2</sup>	260 m <sup>2</sup>	300 m <sup>2</sup>	500 m <sup>2</sup>	600 m <sup>2</sup>	700 m <sup>2</sup>
<sup>3)</sup>	300 m <sup>2</sup>	500 m <sup>2</sup>	530 m <sup>2</sup>	600 m <sup>2</sup>	1000 m <sup>2</sup>	1200 m <sup>2</sup>	1300 m <sup>2</sup>

For best performance select a battery with at least 2.5 Ah

<sup>1)</sup> Battery capacity (2x Akku benötigt)

<sup>2)</sup> Max. lawn area that can be mown per battery charge with 2 batteries

<sup>3)</sup> Max. lawn area that can be mown per battery charge with 4 batteries  
 (The stated area coverage is based on the assumption of ideal conditions)



More information and further articles can be found on our website

[www.einhell.de](http://www.einhell.de)



## CORDLESS LAWN MOWERS 36 V

### GE-CM 36/43 Li M

**EXPERT**

- Cutting width: 43 cm
- Recommended for lawn areas up to: 600 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 - 75 mm / central

Article only available without batteries / chargers Art. No. 34.132.46

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	225 m <sup>2</sup>	300 m <sup>2</sup>	350 m <sup>2</sup>	450 m <sup>2</sup>	600 m <sup>2</sup>	750 m <sup>2</sup>	900 m <sup>2</sup>

For best performance select a battery with at least 2.5 Ah



**NEW**

**TWIN-PACK<sup>®</sup>**  
18V → 36V  
TECHNOLOGY

**BRUSHLESS ENERGY**  
**Einhell**

- Brushless motor – more power, longer operating times
- 3-in-1 function:  
Mowing, mulching, catching
- Individually adjustable long handle



### RASARRO

**EXPERT**

- Cutting width: 38 cm
- Recommended for lawn areas up to: 450 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 - 75 mm / central

Incl. 2 batteries (18 V | 4.0 Ah | Li-Ion) and 1 Twin Charger

Art. No. 34.131.80

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	250 m <sup>2</sup>	300 m <sup>2</sup>	330 m <sup>2</sup>	400 m <sup>2</sup>	450 m <sup>2</sup>	700 m <sup>2</sup>	800 m <sup>2</sup>

For best performance select a battery with at least 2.5 Ah

**TWIN-PACK<sup>®</sup>**  
18V → 36V  
TECHNOLOGY

**BRUSHLESS ENERGY**  
**Einhell**

- Brushless motor – more power, longer operating times
- 3-in-1 function:  
Mowing, mulching, catching
- Telescopic long handle



<sup>1)</sup> Battery capacity (2x Akku benötigt)

<sup>2)</sup> Max. lawn area that can be mown per battery charge  
(The stated area coverage is based on the assumption of ideal conditions)

## CORDLESS LAWN MOWERS 36 V

### GE-CM 36/37 Li

**EXPERT**



- Cutting width: 37 cm
- Recommended for lawn areas up to: bis 400 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 - 75 mm / central

Incl. 2 batteries (18 V | 3.0 Ah | Li-Ion) and 1 Twin Charger

Art. No. 34.131.70

Without batteries / chargers

Art. No. 34.131.72

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	200 m <sup>2</sup>	250 m <sup>2</sup>	290 m <sup>2</sup>	400 m <sup>2</sup>	450 m <sup>2</sup>	650 m <sup>2</sup>	800 m <sup>2</sup>

For best performance select a battery with at least 2.5 Ah



**TWIN-PACK®**  
18V → 18V → 36V  
TECHNOLOGY

- Ergonomic handle
- Individually adjustable long handle
- Grass box with level indicator



### GE-CM 36/36 Li

**EXPERT**

- Cutting width: 36 cm
- Recommended for lawn areas up to: bis 400 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 - 75 mm / central

Incl. 2 batteries (18 V | 4.0 Ah | Li-Ion) and 2 chargers

Art. No. 34.132.30

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	175 m <sup>2</sup>	240 m <sup>2</sup>	270 m <sup>2</sup>	350 m <sup>2</sup>	480 m <sup>2</sup>	600 m <sup>2</sup>	700 m <sup>2</sup>

For best performance select a battery with at least 2.5 Ah

**TWIN-PACK®**  
18V → 18V → 36V  
TECHNOLOGY

**BRUSHLESS ENERGY**  
Einhell

**NEW**

- Brushless motor – more power, longer operating times
- Individually adjustable long handle
- Grass box with level indicator



<sup>1)</sup> Battery capacity (2x Akku benötigt)

<sup>2)</sup> Max. lawn area that can be mown per battery charge  
(The stated area coverage is based on the assumption of ideal conditions)



## CORDLESS LAWN MOWERS 36 V

### GE-CM 36/34-1 Li

**EXPERT**

- Cutting width: 33.5 cm
- Recommended for lawn areas up to: 300 m<sup>2</sup>
- Cutting height adjustment: 5 levels / 25 - 65 mm / central

Article only available without batteries / chargers Art. No. 34.132.26

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	150 m <sup>2</sup>	200 m <sup>2</sup>	250 m <sup>2</sup>	300 m <sup>2</sup>	400 m <sup>2</sup>	500 m <sup>2</sup>	600 m <sup>2</sup>

For best performance select a battery with at least 2.5 Ah



**NEW**

**TWIN-PACK<sup>®</sup>**  
18V + 18V > **36V**  
TECHNOLOGY

- Ergonomic handle
- Individually adjustable long handle
- Grass box with level indicator



### GE-CM 36/33 Li

**EXPERT**

- Cutting width: 33 cm
- Recommended for lawn areas up to: 250 m<sup>2</sup>
- Cutting height adjustment: 5 levels / 25 - 65 mm / central

Incl. 2 batteries (18 V | 2.5 Ah | Li-Ion) and 2 chargers

Art. No. 34.132.10

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	150 m <sup>2</sup>	200 m <sup>2</sup>	250 m <sup>2</sup>	300 m <sup>2</sup>	400 m <sup>2</sup>	500 m <sup>2</sup>	600 m <sup>2</sup>

For best performance select a battery with at least 2.5 Ah

**TWIN-PACK<sup>®</sup>**  
18V + 18V > **36V**  
TECHNOLOGY

- Individually adjustable long handle
- Integrated carry-handle
- Grass box with level indicator



**NEW**

<sup>1)</sup> Battery capacity (2x Akku benötigt)

<sup>2)</sup> Max. lawn area that can be mown per battery charge  
(The stated area coverage is based on the assumption of ideal conditions)



## CORDLESS LAWN MOWERS 18 V

### GE-CM 18/33 Li

EXPERT



- Cutting width: 33 cm
- Recommended for lawn areas up to: 200 m<sup>2</sup>
- Cutting height adjustment: 5 levels / 25 - 65 mm / central

Incl. 1 battery (18 V | 4.0 Ah | Li-Ion) and 1 charger

Art. No. 34.132.60

Without battery / charger

Art. No. 34.132.66

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	50 m <sup>2</sup>	100 m <sup>2</sup>	130 m <sup>2</sup>	180 m <sup>2</sup>	200 m <sup>2</sup>	250 m <sup>2</sup>	400 m <sup>2</sup>



For best performance select a battery with at least 2.5 Ah

### GE-CM 18/32 Li

EXPERT

- Cutting width: 32 cm
- Recommended for lawn areas up to: 180 m<sup>2</sup>
- Cutting height adjustment: 3 levels / 30 - 70 mm / axial

Article only available without battery / chargers Art. No. 34.132.56

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	50 m <sup>2</sup>	100 m <sup>2</sup>	140 m <sup>2</sup>	180 m <sup>2</sup>	250 m <sup>2</sup>	300 m <sup>2</sup>	350 m <sup>2</sup>

For best performance select a battery with at least 2.5 Ah

NEW

BRUSHLESS ENERGY  
Einhell

- Brushless motor – more power, longer operating times
- Individually adjustable long handle
- Grass box with level indicator

BRUSHLESS ENERGY  
Einhell

NEW

- Brushless motor – more power, longer operating times
- Individually adjustable long handle
- Grass box with level indicator



<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. lawn area that can be mown per battery charge  
(The stated area coverage is based on the assumption of ideal conditions)

## CORDLESS LAWN MOWERS 18 V

### GE-CM 18/30 Li

**EXPERT PLUS**

- Cutting width: 30 cm
- Recommended for lawn areas up to: 150 m<sup>2</sup>
- Cutting height adjustment: 3 levels / 30 - 70 mm / axial

Incl. 1 battery (18 V | 3.0 Ah | Li-Ion) and 1 charger Art. No. 34.131.55  
Without battery / charger Art. No. 34.131.57

<sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
<sup>2)</sup>	30 m <sup>2</sup>	70 m <sup>2</sup>	100 m <sup>2</sup>	150 m <sup>2</sup>	210 m <sup>2</sup>	270 m <sup>2</sup>	300 m <sup>2</sup>

For best performance select a battery with at least 2.5 Ah


**BRUSHLESS  
ENERGY**  
Einhell

- Brushless motor – more power, longer operating times
- Folding long handle
- Integrated carry-handle

## CORDLESS PUSH REEL MOWER 18 V

### GE-HM 18/38 Li

**EXPERT**

- Cutting width: 38 cm
- Cutting height adjustment: 4 levels / 14 - 38 mm
- Grass box capacity: 45 l

Article only available without battery / charger Art. No. 34.142.00

<sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
<sup>2)</sup>	100 m <sup>2</sup>	150 m <sup>2</sup>	190 m <sup>2</sup>	250 m <sup>2</sup>	300 m <sup>2</sup>	400 m <sup>2</sup>	450 m <sup>2</sup>

For best performance select a battery with at least 2.5 Ah

- Contactless cutting technology
- Adjustable rear deflector
- 2-in-1 function: battery + manual

**NEW**


<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. lawn area that can be mown per battery charge  
(The stated area coverage is based on the assumption of ideal conditions)

## PETROL LAWN MOWER (POWER X-CHANGE ELECTRIC START)



- 5-in-1 function
- Wheeldrive
- Garden hose connection
- Cleaning and storage position

### 5-IN-1

- MOWING
- MULCHING
- SIDE DISCHARGE
- DEFLECTOR REAR
- DISCHARGE
- CATCHING

### GE-PM 53/2 S HW-E Li

**EXPERT PLUS**

- Engine / displacement / power: 4-stroke, 173 cm<sup>3</sup>, 2.8 kW
- Cutting width: 53 cm
- Recommended for lawn areas up to: 1800 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 - 70 mm / central

Incl. 1 battery (18 V | 1.5 Ah | Li-Ion) and 1 charger (3.0 A)

Art. No. 34.048.55



	<b>1.5 Ah</b>
	<b>more than 130 starts</b>

<sup>1)</sup> Battery capacity

<sup>2)</sup> Rechargeable batteries with a higher energy content or higher capacity enable correspondingly more starts. The possible number of starts is dependent on various influencing factors, e.g. temperature of the motor, ambient temperature, etc.



### POWER X-CHANGE ELECTRIC START

Easy-to-start petrol engine thanks to the electric start function with the assistance of the Power X-Change battery system – at just the push of a button:

- None of the hassle of starting up with a pull starter
- The rechargeable battery can also be used for other Power X-Change products



Garden hose connection



Side discharge

### GE-SC 35/1 Li

**EXPERT PLUS**

- Working width: 35 cm
- Recommended for lawn areas up to: 400 m<sup>2</sup>
- Working depth adjustment: 3 levels (3 / 6 / 9 mm) + transport position (-3 mm)
- Number of scarifying blades: 16 pcs

Article only available without batteries / chargers Art. No. 34.206.50

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah
 <sup>2)</sup>	115 m <sup>2</sup>	150 m <sup>2</sup>	190 m <sup>2</sup>	225 m <sup>2</sup>	300 m <sup>2</sup>	400 m <sup>2</sup>



For best performance select batteries with at least 2.5 Ah

### GC-SC 36/31 Li

**CLASSIC**

- Working width: 31 cm
- Recommended for lawn areas up to: 300 m<sup>2</sup>
- Working depth adjustment: 3 levels (3 / 6 / 9 mm) + transport position (-3 mm)
- Number of scarifying blades: 8 pcs double blades

Article only available without batteries / chargers Art. No. 34.206.60

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	80 m <sup>2</sup>	100 m <sup>2</sup>	130 m <sup>2</sup>	200 m <sup>2</sup>	250 m <sup>2</sup>	300 m <sup>2</sup>	350 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah

<sup>1)</sup> Battery capacity (2x Akku benötigt)

<sup>2)</sup> Max. lawn area that can be mown per battery charge  
(The stated area coverage is based on the assumption of ideal conditions)



**TWIN-PACK<sup>®</sup>**  
18V + 18V > 36V  
TECHNOLOGY

**BRUSHLESS  
ENERGY**  
Einhell

- Brushless motor – more power, longer operating times
- Optional extensible with aerator roller and catch bag
- Individually adjustable guide rail

**TWIN-PACK<sup>®</sup>**  
18V + 18V > 36V  
TECHNOLOGY

- Optional extensible with aerator roller and catch bag
- Adjustable guide rail
- Integrated carry-handle





## CORDLESS TILLER 36 V

### GE-CR 30 Li

**EXPERT PLUS**

- Working width: 30 cm
- Working depth: 20 cm
- Number of cultivator blades: 4 pcs

Article only available without batteries / chargers Art. No. 34.312.00

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	15 min	20 min	21 min	25 min	35 min	50 min	60 min

For best performance select a battery with at least 2.5 Ah

<sup>1)</sup> Battery capacity (2x Akku benötigt)

<sup>2)</sup> Max. operating time per battery charge in idle mode



**TWIN-PACK®**  
**1x GE-CR 30 Li**  
**1x GE-CC 30 Li**  
**36V**  
**TECHNOLOGY**

- Height-adjustable transport wheels
- Ergonomic, folding guide rail
- Folding guide rail



## CORDLESS UNIVERSAL SPREADER 18 V

### GE-US 18 Li

**EXPERT**

- Filling capacity: 3.3 l
- Spread width: max. 5 m
- Spreading of: fertiliser, grass seed and salt

Article only available without battery / charger Art. No. 34.154.10

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	2 h	3 h	4 h	6 h	7 h	9 h	10 h

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge

- Electronic speed control (6-stage)
- Flow rate adjustment (8-stage)
- Adjustable spread width







More information and  
further articles can be  
found on our website

[www.einhell.de](http://www.einhell.de)

## CORDLESS SCYTHE 36 V



- Brushless motor – more power, longer operating times
- Spindle lock
- Ergonomic and low-vibration bike handle






### AGILLO

### EXPERT PLUS

- Cutting width blade / thread: 25.5 cm / 30 cm
- Thread diameter: 2.0 mm
- Thread length: 8 m
- Incl. thread spool and 3-teeth blade

Article only available without batteries / chargers Art. No. 34.113.20

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	20 min	30 min	35 min	45 min	65 min	80 min	90 min
 <sup>3)</sup>	15 min	25 min	28 min	35 min	45 min	60 min	70 min

For best performance select a battery with at least 2.5 Ah

<sup>1)</sup> Battery capacity (2x Akku benötigt)

<sup>2)</sup> Max. operating time per battery charge (blade)

<sup>3)</sup> Max. operating time per battery charge (thread spool)

## CORDLESS LAWN TRIMMER 36 V

- Infinitely adjustable handle
- Bump feed system
- Split shaft

TWIN-PACK®  
 MAX + MAX 36V  
 TECHNOLOGY

### GE-CT 36/30 Li E

**EXPERT PLUS**

- Cutting width: 30 cm
- Thread diameter: 2.0 mm
- Thread length: 8 m

Article only available without batteries / chargers Art. No. 34.113.00

Battery <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
Max. <sup>2)</sup>	20 min	30 min	38 min	45 min	60 min	75 min	90 min

For best performance select a battery with at least 2.5 Ah

<sup>1)</sup> Battery capacity (2x Akku benötigt)

<sup>2)</sup> Max. operating time per battery charge



## CORDLESS LAWN TRIMMERS 18 V



### GE-CT 18 Li

**EXPERT PLUS**

- Cutting width: 24 cm
- Incl. integrated compartment with 20 plastic blades

Incl. 1 battery (18 V | 2.0 Ah | Li-Ion) and 1 charger Art. No. 34.111.97

Without battery / charger Art. No. 34.111.72

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	40 min	55 min	65 min	80 min	125 min	160 min	180 min



### GC-CT 18/24 Li

**CLASSIC**

- Cutting width: 24 cm
- Incl. 20 plastic blades

Article only available without battery / charger

Art. No. 34.111.23

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	40 min	55 min	65 min	80 min	125 min	160 min	180 min



### GC-CT 18/24 Li P

**CLASSIC**

- Cutting width: 24 cm
- Incl. 20 plastic blades

Incl. 1 battery (18 V | 1.5 Ah | Li-Ion) and 1 charger Art. No. 34.111.02

Without battery / charger Art. No. 34.111.04

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	40 min	55 min	65 min	80 min	125 min	160 min	180 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode

- Infinitely adjustable handle
- Motor head rotatable and tiltable
- Flower guard

- Infinitely adjustable handle
- Telescopic long handle, infinitely adjustable
- Flower guard

- Compact design
- Lightweight
- Additional handle



## CORDLESS GROUT CLEANER 18 V





- Replaceable brushes
- Guide wheel
- Infinitely adjustable additional handle

### GE-CC 18 Li

### EXPERT PLUS

- Charging time / running time: 40 min / 45 min
- Diameter of brush: 10 cm
- Incl. steel brush and nylon brush (1 of each)

Incl. 1 battery (18 V | 2.0 Ah | Li-Ion) and 1 charger Art. No. 34.240.51  
Without battery / charger Art. No. 34.240.50

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	30 min	45 min	50 min	60 min	90 min	120 min	135 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode



More information and  
further articles can be  
found on our website

[www.einhell.de](http://www.einhell.de)







## CORDLESS SURFACE BRUSH



### PICOBELLA

**EXPERT PLUS**

- Max. working width: 215 mm
- Diameter of brush: 115 mm
- Idle speed: 800 - 1400 mm<sup>-1</sup>
- 2-in-1 fuction: [Nass- und Trockenreinigung](#)

Article only available without battery / charger

Art. No. 34.242.00

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	8-25 min	10-30 min	12-34 min	17-46 min	20-55 min	25-70 min	29-90 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge

### PERFECT BRUSHES FOR EVERY SURFACE.



#### SOFT


- Wood/WPC/BPC
- Artificial turf



#### MEDIUM (included)

- Smooth stone  
e.g. tiles/concrete

(incl. side brush for  
cleaning right to the  
wall and into edges)



#### ULTRA

- Rough stone
- Robust stone  
e.g. granite/porphyry



**NEW**

- Nur ein Arbeitsschritt für eine gründliche, komplette Nassreinigung dank integriertem Gartenschlauchanschluss
- A special side brush is suitable for perimeter work right up to the edge
- Changeable brushes (1x nylon brush MEDIUM für Stein included)



## CORDLESS HEDGE TRIMMER 36 V



**TWIN-PACK®**  
**1x GE-CH 36/65 Li**  
**1x LC-CH 36V**  
**TECHNOLOGY**



- Rear handle can be swivelled
- Laser-cut and diamond ground blades
- Metal gear box

### GE-CH 36/65 Li

**EXPERT**

- Bar length / cutting length: 720 mm / 650 mm
- Spacing between teeth: 30 mm

Article only available without batteries / chargers Art. No. 34.109.60

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	60 min	75 min	93 min	120 min	150 min	180 min	225 min

<sup>1)</sup> Battery capacity (2x Akku benötigt)

<sup>2)</sup> Max. operating time per battery charge in idle mode



More information and  
further articles can be  
found on our website

[www.einhell.de](http://www.einhell.de)



## CORDLESS HEDGE TRIMMERS 18 V

### GE-CH 18/60 Li

**EXPERT**

- Bar length / cutting length: 670 mm / 600 mm
- Spacing between teeth: 22 mm

Article only available without battery / charger Art. No. 34.109.30

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	35 min	45 min	53 min	70 min	90 min	110 min	135 min





- Rear handle can be swivelled
- Laser-cut and diamond ground blades
- Metal gear box

### ARCURRA

**EXPERT**

- Bar length / cutting length: 620 mm / 550 mm
- Spacing between teeth: 18 mm

Article only available without battery / charger Art. No. 34.109.20

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	35 min	45 min	53 min	70 min	90 min	110 min	135 min



- Laser-cut and diamond ground blades
- Cutting collector
- Metal gear box

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode



## CORDLESS HEDGE TRIMMERS 18 V

### GE-CH 1855/1 Li

**EXPERT PLUS**

- Bar length / cutting length: 620 mm / 550 mm
- Spacing between teeth: 18 mm

Incl. 1 battery (18 V | 2.0 Ah | Li-Ion) and 1 charger Art. No. 34.105.03  
 Without battery / charger Art. No. 34.105.02



 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	60 min	80 min	100 min	120 min	160 min	210 min	240 min

### GE-CH 18/50 Li

**EXPERT PLUS**

- Bar length / cutting length: 570 mm / 500 mm
- Spacing between teeth: 16 mm

Article only available without battery / charger Art. No. 34.109.10



 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	60 min	80 min	100 min	120 min	160 min	210 min	240 min

### GE-CH 1846 Li

**EXPERT PLUS**

- Bar length / cutting length: 520 mm / 460 mm
- Spacing between teeth: 15 mm

Incl. 1 battery (18 V | 2.0 Ah | Li-Ion) and 1 charger Art. No. 34.106.83  
 Without battery / charger Art. No. 34.106.42

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	60 min	80 min	100 min	120 min	160 min	210 min	240 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode



- Rear handle can be swivelled
- Laser-cut and diamond ground blades
- Metal gear box



- Rear handle can be swivelled
- Laser-cut and diamond ground blades
- Metal gear box



- Low weight for user-friendly operation
- Laser-cut and diamond ground blades
- Metal gear box

## CORDLESS MULTI-FUNCTIONAL TOOL 18 V

### GE-HC 18 Li T

**EXPERT PLUS**

- Bar length (chainsaw): 200 mm
- Cutting speed (chainsaw): 3.76 m/s
- Bar length (hedge trimmer): 450 mm
- Spacing between teeth (hedge trimmer): 16 mm

Incl. 1 battery (18 V | 3.0 Ah | Li-Ion) and 1 charger Art. No. 34.108.05

Without battery / charger Art. No. 34.108.00

<sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
<sup>2)</sup>	30 min	40 min	48 min	60 min	75 min	100 min	120 min
<sup>3)</sup>	20 min	30 min	35 min	40 min	60 min	75 min	80 min

For best performance select a battery with at least 2.5 Ah

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode (pole-mounted pruner)

<sup>3)</sup> Max. operating time per battery charge in idle mode (telescopic hedge trimmer)

FITTED WITH  
  
CHAIN AND BAR

- Toolless chain tensioning and chain change
- Main handle and motor head tiltable in several steps
- Metal gear box

## CORDLESS POLE-MOUNTED PRUNER ACCESSORIES

### Hedge Trimmer

**EXPERT PLUS**

- Can be used for: GE-LC 18 Li T

Art. No. 34.108.18



## CORDLESS TELESCOPIC HEDGE TRIMMER ACCESSORIES

### Pole Pruner

**EXPERT PLUS**

- Can be used for: GE-HH 18/45 Li T

Art. No. 34.108.35





## CORDLESS POLE-MOUNTED PRUNER 18 V

### GE-LC 18 Li T

**EXPERT PLUS**

- Bar length / cutting length: 200 mm / 170 mm
- Cutting speed: 3.76 m/s

Incl. 1 battery (18 V | 3.0 Ah | Li-Ion) and 1 charger Art. No. 34.108.15  
Without battery / charger Art. No. 34.108.10

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	30 min	40 min	48 min	60 min	75 min	100 min	120 min

For best performance select a battery with at least 2.5 Ah

FITTED WITH  
**OREGON**  
CHAIN AND BAR

- 90° swivel attachment for horizontal cuts
- Main handle and motor head tiltable in several steps
- Toolless chain tensioning and chain change



## CORDLESS TELESCOPIC HEDGE TRIMMER 18 V

### GE-HH 18/45 Li T

**EXPERT PLUS**

- Bar length / cutting length: 450 mm / 400 mm
- Spacing between teeth: 16 mm

Incl. 1 battery (18 V | 3.0 Ah | Li-Ion) and 1 charger Art. No. 34.108.65  
Without battery / charger Art. No. 34.108.66

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	20 min	30 min	35 min	40 min	60 min	75 min	80 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode



- Laser-cut and diamond ground blades
- Main handle and motor head tiltable in several steps
- Metal gear box





More information and  
further articles can be  
found on our website

**www.einhell.de**

## CORDLESS CHAINSAWS 36 V

**TWIN-PACK™**  
18V + 36V  
TECHNOLOGY

**BRUSHLESS  
ENERGY**  
Einhell

- Brushless motor – more power, longer operating times
- Toolless chain tensioning and chain change
- Automatic chain lubrication





FITTED WITH  
**OREGON**  
CHAIN AND BAR

### GE-LC 36/35 Li

**EXPERT**

- Bar length / cutting length: 350 mm / 330 mm
- Cutting speed: 15 m/s
- Oil tank capacity: 115 ml

Article only available without batteries / chargers Art. No. 45.017.80

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	120 pcs	160 pcs	200 pcs	240 pcs	320 pcs	420 pcs	480 pcs

For best performance select a battery with at least 3.0 Ah

<sup>1)</sup> Battery capacity (2x Akku benötigt)

<sup>2)</sup> Max. cuts through 70 x 70 mm square timber per battery charge



## CORDLESS CHAINSAW 18 V

### GE-LC 18 Li

**EXPERT PLUS**

- Bar length / cutting length: 250 mm / 230 mm
- Cutting speed: 4.3 m/s
- Oil tank capacity: 200 ml

Incl. 1 battery (18 V | 3.0 Ah | Li-Ion) and 1 charger Art. No. 45.017.60  
 Without battery / charger Art. No. 45.017.61

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	50 pcs	70 pcs	85 pcs	100 pcs	130 pcs	180 pcs	200 pcs

For best performance select a battery with at least 2.5 Ah

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. cuts through 70 x 70 mm square timber per battery charge



- Toolless chain tensioning and chain change
- Automatic chain lubrication
- Sturdy stop claws made of metal



## CORDLESS CHAIN SHARPENER 18 V

### GE-CS 18 Li

**EXPERT PLUS**

- Grinding wheel diameter (inside): 23 mm
- Grinding wheel diameter (outside): 108 mm
- Grinding wheel thickness: 3.2 mm

Article only available without battery / charger Art. No. 44.999.40

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	180 min	240 min	300 min	390 min	480 min	660 min	780 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode

- Depth stop
- Scale for precise setting of the grinding angle
- Chain tensioning mechanism






## CORDLESS LEAF VACUUMS 36 V

### GE-CL 36/230 Li E

**EXPERT PLUS**

- Max. blow velocity: 230 km/h
- Max. suction power / max. blowing air flow: 700 / 225 m³/h
- Shredding function: 10:1
- Product weight: 3.1 kg (blowing) und 4.4 kg (vacuuming)

Article only available without batteries / chargers Art. No. 34.336.30

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	10-22 min	12-28 min	14-34 min	20-45 min	24-55 min	30-75 min	35-85 min
 <sup>3)</sup>	4 min	5 min	7 min	11 min	13 min	17 min	20 min
 <sup>4)</sup>	11-24 min	13-29 min	16-35 min	24-50 min	27-58 min	37-79 min	43-91 min
 <sup>5)</sup>	6 min	7 min	8 min	13 min	15 min	20 min	23 min

For best performance select a battery with at least 2.5 Ah

### GE-CL 36 Li E

**EXPERT PLUS**

- Max. blow velocity: 210 km/h
- Max. suction power / max. blowing air flow: 720 / 195 m³/h
- Shredding function: 10:1

Article only available without batteries / chargers Art. No. 34.336.00

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	9-20 min	10-30 min	13-35 min	17-45 min	22-65 min	27-90 min	30-90 min
 <sup>4)</sup>	10-30 min	13-35 min	16-40 min	21-60 min	27-75 min	32-105 min	39-105 min

For best performance select a battery with at least 2.5 Ah

<sup>1)</sup> Battery capacity (2x Akku benötigt)

<sup>2)</sup> Max. operating time per battery charge in idle mode (vacuuming mode) – dependent on the selected speed

<sup>3)</sup> Max. operating time per battery charge in idle mode (TURBO vacuuming mode)

<sup>4)</sup> Max. operating time per battery charge in idle mode (blowing mode) – dependent on the selected speed

<sup>5)</sup> Max. operating time per battery charge in idle mode (TURBO blowing mode)



- Incl. one wide suction tube and one narrow blowing tube
- Turbo switch – for maximum blowing and vacuuming volume
- Toolless change between suction and blowing function

**TWIN-PACK®**  
18V + 18V → 36V  
TECHNOLOGY

**NEW**

**TWIN-PACK®**  
18V + 18V → 36V  
TECHNOLOGY

**BRUSHLESS ENERGY**  
**Einhell**

- Brushless motor – more power, longer operating times
- Toolless change between suction and blowing function
- Electronic speed control



## CORDLESS LEAF BLOWER 36 V




### GE-LB 36/210 Li E

**EXPERT PLUS**

- Max. blow velocity: 210 km/h
- Max. blowing air flow: 816 m<sup>3</sup>/h
- Product weight: 2.5 kg (excl. battery)

Article only available without batteries / chargers

Art. No. 34.336.20

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	7-40 min	10-55 min	11-63 min	16-92 min	20-116 min	26-138 min	30-165 min
 <sup>3)</sup>	3 min	4 min	5 min	8 min	10 min	12 min	14 min

For best performance select a battery with at least 2.5 Ah

<sup>1)</sup> Battery capacity (2x Akku benötigt)

<sup>2)</sup> Max. operating time per battery charge in idle mode – dependent on the selected speed

<sup>3)</sup> Max. operating time per battery charge in idle mode in TURBO mode

## CORDLESS LEAF BLOWER 18 V

### GE-CL 18 Li E

**EXPERT PLUS**



- 1x battery: 18 V | 2.0 Ah | Li-Ion
- Max. blow velocity: 210 km/h
- Max. blowing air flow: 105 m<sup>3</sup>/h
- Idle speed: 1400 - 12000 min<sup>-1</sup>

Incl. 1 battery and 1 charger

Art. No. 34.335.33

Without battery / charger

Art. No. 34.335.32

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	10w80 min	14-240 min	16-300 min	20-390 min	26-480 min	40-660 min	42-720 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode – dependent on the selected speed


- Brushless motor – more power, longer operating times
- Turbo function
- Electronic speed control



- Electronic speed control
- Soft grip
- Low weight and easy to handle





## CORDLESS GRASS AND SHRUB SHEARS 18 V

### GE-CG 18 Li

**EXPERT PLUS**

- Cutting width with grass shear blade: 100 mm
- Cutting width with shrub cutting blade: 200 mm
- Spacing between teeth of shrub cutting blade: 8 mm

Article only available without battery / charger    Art. No. 34.103.70

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	180 min	240 min	300 min	360 min	480 min	650 min	720 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode

- Toolless blade change
- Laser-cut and diamond ground blades
- Metal gear box





## CORDLESS PRUNING SAW 18 V

### GE-GS 18 Li

**EXPERT PLUS**

- Saw blade length: 150 mm
- Cutting capacity with / without branch handle: 70 mm / 90 mm

Article only available without battery / charger    Art. No. 34.082.20

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	70 pcs	90 pcs	115 pcs	140 pcs	180 pcs	240 pcs	280 pcs

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. cuts per battery charge through roundwood with a diameter of 60 mm

- KWB high quality saw blade „Made in Switzerland“
- Easy blade change without tools
- Long-lasting metal gear box







## CORDLESS PRESSURE SPRAYERS

### GE-WS 18/75 Li

EXPERT

- Filling capacity of the tank: 7.5 l
- Max. pump pressure: 3.5 bar
- Flow rate: 60 l/h
- Pressure hose length: 140 cm

Article only available without battery / charger Art. No. 34.252.20



 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	5 h	6 h	7.5 h	10 h	12 h	16 h	20 h

### GE-WS 18/35 Li

EXPERT

- Filling capacity of the tank: 3.5 l
- Max. pump pressure: 3.5 bar
- Flow rate: 60 l/h
- Pressure hose length: 140 cm

Article only available without battery / charger Art. No. 34.252.10

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	5 h	6 h	7.5 h	10 h	12 h	16 h	20 h

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode

NEW

- Automatic pump, no manual pressure build-up required
- Transparent tank with scale for checking the level
- Individually adjustable brass nozzle



NEW

- Automatic pump, no manual pressure build-up required
- Transparent tank with scale for checking the level
- Individually adjustable brass nozzle





## CORDLESS GARDEN PUMP 36 V



**TWIN-PACK<sup>1)</sup>**  
**1x + 1x > 36V**  
**TECHNOLOGY**




- Water filler screw
- Frost protection due to a water drain screw
- 2-step switch (ECO / BOOST mode)

### AQUINNA

**EXPERT PLUS**

- Max. delivery capacity / height: 3000 l/h / 26 m
- Max. suction height: 8 m
- Suction / pressure connection: 42 mm (1 1/4") / 33.3 mm (1")

Article only available without batteries / chargers Art. No. 41.804.00

 <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah
 <sup>2)</sup>	12 min	15 min	23 min	30 min	35 min	45 min	50 min
 <sup>3)</sup>	30 min	35 min	47 min	55 min	70 min	85 min	100 min

<sup>1)</sup> Battery capacity (2x Akku benötigt)

<sup>2)</sup> Max. Laufzeit im BOOST-Modus je nach Akkuladung

<sup>3)</sup> Max. Laufzeit im ECO-Modus je nach Akkuladung

POWER X-CHANGE

**1 BATTERY.**  
**1000 POSSIBILITIES.**





## ACCESSORIES – BATTERIES



**NEW**

### 4-6 Ah Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity:  
18 V / 6.0 Ah or 4.0 Ah (depending on the application)
- Battery power: max. 1350 W

Art. No. 45.115.02

Mit Display: Genaue  
Ladezustandsanzeige in  
Prozent



### 4-6 Ah MULTI-AH POWER X-CHANGE PLUS BATTERY

Thanks to MULTI-Ah technology, switching over from a 4 Ah battery to a 6 Ah battery is really easy and can be done with just the push of a button. The 4 Ah battery has a 3x longer total service life and is suitable for lighter applications (e.g. cordless lamp or cordless screwdriver). The 6 Ah battery offers the maximum running time for more capacity-intensive applications (e.g. cordless lawn mower or cordless wet and dry vacuum cleaners).



4 Ah ► **300%**  
more service life<sup>1)</sup>

6 Ah ► **50%**  
more running time<sup>2)</sup>

<sup>1)</sup> in comparison to every standard lithium-ion battery

<sup>2)</sup> in comparison to the 4 Ah battery



## ACCESSORIES – BATTERIES



### 5.2 Ah Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 5.2 Ah
- Battery power: max. 1260 W

Art. No. 45.114.37



### 4.0 Ah Power X-Change Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 4.0 Ah
- Battery power: max. 900 W

Art. No. 45.113.96



### 2.0 Ah Power X-Change Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 2.0 Ah
- Battery power: max. 450 W

Art. No. 45.113.95



### 3.0 Ah Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 3.0 Ah
- Battery power: max. 900 W

Art. No. 45.115.01



### 2.5 Ah Power X-Change Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 2.5 Ah
- Battery power: max. 720 W

Art. No. 45.115.16

NEW

NEW



## ACCESSORIES – STARTER KITS



### 2x 3.0 Ah PXC Twin Charger Starter Kit

- Items supplied:  
2 batteries + 1 Power X-Twin Charger 3 A
- Battery voltage / capacity: 2x 18 V / 2x 3.0 Ah
- Battery power: max. 2x 900 W

Art. No. 45.120.83



### 2x 3.0 Ah Power X-Change Starter Kit

- Items supplied:  
2 batteries + 1 Power X-Charger 3 A
- Battery voltage / capacity: 2x 18 V / 2x 3.0 Ah
- Battery power: max. 2x 900 W

Art. No. 45.120.98



### 4.0 Ah Power X-Change Starter Kit

- Items supplied:  
1 battery + 1 Power X-Charger 3 A
- Battery voltage / capacity: 18 V / 4.0 Ah
- Battery power: max. 900 W

Art. No. 45.120.42



### 3.0 Ah Power X-Change Starter Kit

- Items supplied:  
1 battery + 1 Power X-Charger 3 A
- Battery voltage / capacity: 18 V / 3.0 Ah
- Battery power: max. 900 W

Art. No. 45.120.41



### 2.5 Ah Power X-Change Starter Kit

- Items supplied:  
1 battery + 1 Power X-Charger 3 A
- Battery voltage / capacity: 18 V / 2.5 Ah
- Battery power: max. 720 W

Art. No. 45.120.97



**NEW**

## ACCESSORIES – STARTER KITS

- Multi charger
- Integrated wall mount

### Power X-Twin Charger 3 A

- Items supplied: 1 charger
- Can be used for all PXC batteries
- Charging current: 3.0 A per slot (parallel charging)

Art. No. 45.120.69



- Boost mode
- Integrated wall mount

### Power X-Boost Charger 6 A

- Items supplied: 1 charger
- Can be used for all PXC batteries
- Charging current: 3.0 - 6.0 A

Art. No. 45.120.64



- Integrated wall mount

### Power X-Fast Charger 4 A

- Items supplied: 1 charger
- Can be used for all PXC batteries
- Charging current: 4.0 A

Art. No. 45.120.11



**NEW**

## BATTERY CHARGING TIMES

	1.5 Ah battery*	2.0 Ah battery	2.5 Ah battery	3.0 Ah Plus battery	3.0 Ah battery*	4.0 Ah battery	5.2 Ah Plus battery	4-6 Multi-Ah Plus battery
Power X-Charger 3 A								
Power X-Twin Charger 3 A	30 min	40 min	50 min	60 min	60 min	75 min	100 min	75 / 120 min
Power X-Boost Charger 6 A								
Power X-Boost Charger 6 A (Boost Mode)	24 min	30 min	27 min	32 min	32 min	40 min	50 min	40 / 60 min
Power X-Fast Charger 4 A	24 min	30 min	37 min	45 min	45 min	60 min	80 min	60 / 90 min

\* Not available separately



BMW i Motorsport  
Official Main Partner



**1 BATTERY.  
1000 POSSIBILITIES.**  
THE REVOLUTIONARY BATTERY  
SYSTEM FOR CORDLESS FREEDOM  
IN THE WORKSHOP AND GARDEN.

**Einhell Germany AG**

Wiesenweg 22  
94405 Landau/Isar  
Deutschland

info@einhell.de  
www.einhell.de

**Einhell-Service**

Eschenstr. 6  
94405 Landau/Isar  
Deutschland

Tel. +49 (0) 9951 959 2000  
Service-DE@einhell.com  
www.einhell-service.com

**einhell.de**  
>>>