



Einhell

WET AND DRY VACUUM CLEANERS AND ASH VACUUM CLEANERS



Einhell

Official Home & Garden-Expert

[einhell.de](https://www.einhell.de)

>>>



RIVAL ANY DIRT.
COARSE DIRT – FINE DIRT – LIQUIDS – INDOORS – OUTDOOR.

The right solution for all your cleaning emergencies.

For dust or water, the home or the workshed, small or big areas, it makes no difference – Einhell wet and dry vacuum cleaners rival any dirt. Make your home a place that radiates comfort again as quick as a flash.



THIS IS HOW:

Find out more at einhell.de, register in your customer account and apply for the warranty. Further information is available at www.einhell.de/warranties

einhell.de
>>>

THE EINHELL GUARANTEE PROMISE.

We develop our products so that you can make everything possible. Our priority here is functionality, safety and quality. That is our promise and this is backed up by our guarantees too.

- **30 Day Money-Back Guarantee**
For 100% satisfaction with your Power X-Change device.
- **Power X-Change Battery Warranty**
Warranty extension for Power X-Change batteries to 2 years
- **Einhell 2+1 Product Warranty**
Warranty extension for all Einhell products to a total of 3 years.





Einhell

CORDLESS EXCELLENCE.

POWER X-CHANGE



EINHELL. CORDLESS EXCELLENCE.

THE BATTERY SYSTEM FOR CORDLESS FREEDOM FOR POWER TOOLS AND GARDEN.



CORDLESS FREEDOM. FOR TOOL AND GARDEN.

At last – no more too short or severed cables.

When you have no longer to worry about extension cables that are too short or sufficient sockets. When the device comes to the project instead of the other way round. When you simply insert the battery and are ready to go, whether it is a lawn mower, garden pump, rotary hammer or wet and dry vacuum cleaner. Than that is the feeling of cordless freedom.



LATEST TECHNOLOGY. PROVEN QUALITY.

So you can enjoy using your machine for a very long time.

The Power X-Change batteries are the centerpiece of the platform. That is why we use only the best components such as high-performance Li-Ion cells and our intelligent ABS battery electronics in the batteries. This makes our PXC battery one of the safest in the industry and ensures efficiency, reliability and durability. Stiftung Warentest (11/2020 issue) confirmed its quality in a comparison test with eight batteries from eight different battery platforms. The 2.0 Ah battery from the Power X-Change battery system from Einhell beat off stiff competition to emerge as test winner.



POWERFUL MACHINES. LONG-LASTING BATTERIES.

No matter how large your project – Power X-Change won't let you down.

Less power? No way!

As a battery system for real enablers, our cordless machines offer up to 2700 Watt of battery power and 8 Ah of capacity, making them easily a match for corded machines! Whether you just want to hang a shelf or drill through a solid concrete wall, with Power X-Change you are equipped to meet any challenge with power and endurance.



1 BATTERY. 1000 POSSIBILITIES. FOR DIY ENTHUSIASTS AND HOBBY GARDENERS.

Just as versatile as you: Battery power for every situation.

Power X-Change is the first rechargeable battery system that provides hobby gardeners and DIY enthusiasts alike with an unrivaled selection of cordless tools. The PXC family already contains over 200 devices – and the number is constantly rising. Thanks to the versatile Power X-Change system, for instance, the electric kick scooter from GOVECS is “powered by Power X-Change”.



ACTIVE BATTERY MANAGEMENT SYSTEM. INTELLIGENT ELECTRONIC CONTROL SYSTEM.

The computer-assisted Active Battery Management System permanently monitors and controls all the safety-related processes of the electrical components and associated hardware. This results in a whole range of advantages:

- MAXIMISED RUNNING TIMES
- OPTIMISED TOOL POWER
- LONGER BATTERY SERVICE LIFE
- INCREASED SAFETY



TWIN-PACK® TECHNOLOGY. 18 V + 18 V = 36 V.

If a device needs more power than provided by a single 18 V rechargeable battery, we simply add a second battery so we generate $18\text{ V} + 18\text{ V} = 36\text{ V}$. We call that Twin-Pack® Technology. If the voltage (V) gets doubled, the power (W) gets doubled, too.

Double Twin-Pack Technology in turn makes it possible to work for even longer still without the nuisance of recharging. In this case, four rechargeable batteries are used. When the power of the first two batteries finally runs out, the system automatically switches over to the two additional batteries.

POWER X-CHANGE PLUS.

Rechargeable batteries vary not just in terms of running time and weight. What is also critically important is the power that they provide. Power X-Change PLUS Technology makes more power available from the same number of cells, so that you can work with plenty of power even on challenging applications as well.

If, for example, you want to use your angle grinder for cutting work, the running time (see Ah rating) is generally not critical. Sufficient power, on the other hand, is. A car is a useful comparison. Uphill or when overtaking, more power, in other words more hp respectively kW, is needed.



BRUSHLESS ENERGY – MORE EFFICIENT WORK.

Various Power X-Change devices are equipped with brushless motors. They offer significant advantages compared to carbon brush motor:

- MORE POWER
- LONGER RUNNING TIMES
- LONGER SERVICE LIFE
- MORE COMPACT DESIGN
- MAINTENANCE-FREE



- + 25% more power*
- + 50% more operating time*
- + 100% more service life*

* Approximate values in comparison to conventional carbon brush motors


WHERE TECHNICAL KNOW-HOW MEETS ENVIRONMENTAL PROTECTION.

Each of us is responsible for the environment in which we live. Even as individuals we have a valuable role to play. Our contribution: know-how and technology for making efficient use of energy.



EFFICIENT TECHNOLOGY

ECO Power stands for the use of efficient technology. For example, our products feature the latest technical solutions for appreciably improving the ratio of energy input and yield.



INTELLIGENT PLUG-IN CONNECTIONS FOR LONG LASTING PERFORMANCE

Projecting edges in standard suction tubes cause air turbulence and concentrations of dirt with a resulting drop in performance. The optimised plug-in connections on our ECO Power wet and dry vacuum cleaners ensure a resistance-free flow of air with energy and time-saving suction power guaranteed over a long time.



A TIDY SOLUTION ALL ROUND

Our 2-way system for suction and cooling air provides for separate cooling of the motor while optimizing the cleaner's suction and filtering performance. The motor remains free of dirt, which means that it enjoys a longer working life and generates less noise.



EXTREMELY QUIET BUT NOT DUE TO MODESTY

The interplay of numerous technical improvements with the ECO Power principle and its efficient use of energy reduces the strain not only on the environment but also on the user in the form of unnecessary noise. The ECO Power wet and dry vacuum cleaners are extremely quiet and also perfect for the living area.

**TP-VC 36/30 S AUTO.
CORDLESS WET AND DRY
VACUUM CLEANER WITH
CORDLESS DUST EXTRACTION.**

Cordless freedom on a new level thanks to Power X-Change and connectivity function.

A transmitter fitted to the suction hose creates a cordless connection between the wet and dry vacuum cleaner and the cordless tool you are using. Automatic dust extraction on cordless tools is therefore possible.

The transmitter recognizes the vibrations of the connected cordless tool, e.g. a cordless orbital sander, and sends a signal to the cordless wet and dry vacuum cleaner. The vacuum cleaner starts to work and then stops again automatically a short time after the tool stops.



CORDLESS WET AND DRY VACUUM CLEANERS

POWER X-CHANGE LITHIUM-ION BATTERY

Cordless operation means that corners and hard-to-reach areas are easy to sweep as well. The rechargeable battery can be used in all the devices from the Power X-Change family

ECO/BOOST MODE
2 speeds (ECO + BOOST) for optimum battery use

CONNECTIVITY FUNCTION
The connectivity function means that no cables are required to connect the vac. It starts up automatically when the cordless power tool is started

ACCESSORY HOLDER
The TP-VC 36/30 S Auto is always ready for action thanks to the accessory holder directly on the equipment



TWIN-PACK TECHNOLOGY
Using 2x 18 V Power X-Change rechargeable batteries delivers even more power

HEAVY-DUTY SUCTION HOSE
The 2.50 m hose is flexible and resistant to foot traffic at the same time

Cordless Wet and Dry Vacuum Cleaner
TP-VC 36/30 S Auto

STAINLESS STEEL TANK
The 30 l stainless steel tank provides sufficient capacity for dirt and liquids

LARGE WHEELS AND CASTORS
Thanks to the 2 wheels and the 2 castors the wet and dry vacuum cleaner is easy to move about in the workshop, garage or living area

CORDLESS WET AND DRY VACUUM CLEANERS



	TP-VC 36/30 S Auto - Solo PROFESSIONAL	TE-VC 36/30 Li S - Solo EXPERT
PXC battery voltage / capacity	2x 18 V / -	2x 18 V / -
Suction power	150 mbar / 100 mbar (BOOST / ECO)	150 mbar / 100 mbar (BOOST / ECO)
Tank	Stainless steel, 30 l	Stainless steel, 30 l
Suction hose length / diameter	250 cm / 36 mm	250 cm / 36 mm
Product weight	8.0 kg (excl. battery)	8.0 kg (excl. battery)
Automatic starting system	•	-
Speed settings	2	2
Heavy-duty suction hose	•	•
Number of batteries / number of chargers	0 / 0	0 / 0
Suction tube	Telescopic, stainless steel	Telescopic, stainless steel
Nozzles	Combination, crevice and upholstery nozzle (1x each)	Combination, crevice and upholstery nozzle (1x each)
Filters	Foam, pleated filter, dirt bag (1x each)	Foam, pleated filter, dirt bag (1x each)
Packaging	Colour box	Colour box
Article number	23.471.43	23.471.40

CORDLESS WET AND DRY VACUUM CLEANERS



	TE-VC 36/25 Li S - Solo EXPERT	TC-VC 18/20 Li S - Solo CLASSIC	TC-VC 18/15 Li - Solo CLASSIC
PXC battery voltage / capacity	2x 18 V / -	18 V / -	18 V / -
Suction power	150 mbar / 100 mbar (BOOST / ECO)	80 mbar	80 mbar
Tank	Stainless steel, 25 l	Stainless steel, 20 l	Plastic, 15 l
Suction hose length / diameter	250 cm / 36 mm	150 cm / 36 mm	150 cm / 36 mm
Product weight	7.0 kg (excl. battery)	3.6 kg (excl. battery)	3.2 kg (excl. battery)
Automatic starting system	-	-	-
Speed settings	2	1	1
Heavy-duty suction hose	-	-	-
Number of batteries / number of chargers	0 / 0	0 / 0	0 / 0
Suction tube	2-piece, stainless steel	3-piece, plastic	3-piece, plastic
Nozzles	Combination, crevice and upholstery nozzle (1x each)	Combination, crevice and upholstery nozzle (1x each)	Combination, crevice nozzle (1x each)
Filters	Foam, pleated filter, dirt bag (1x each)	Foam, pleated filter, dirt bag (1x each)	Foam filter, filter bag, dirt bag (1x each)
Packaging	Colour box	Colour box	Colour box
Article number	23.471.70	23.471.30	23.471.45

CORDLESS WET AND DRY VACUUM CLEANERS



UNLIMITED
OPERATING
RANGE



COMPACT
DESIGN

	TE-VC 18/10 Li - Solo EXPERT
PXC battery voltage / capacity	18 V / -
Suction power	90 mbar
Tank	Plastic, 10 l
Suction hose length / diameter	200 cm / 36 mm
Product weight	3.1 kg (excl. battery)
Automatic starting system	-
Speed settings	1
Heavy-duty suction hose	-
Number of batteries / number of chargers	0 / 0
Suction tube	-
Nozzles	2-in-1 crevice/brush nozzle, 2-in-1 upholstery/universal nozzle (1 of each)
Filters	Foam filter, filter bag, dirt bag (1x each)
Packaging	Colour box
Article number	23.471.60

CORDLESS HANDHELD VACUUM CLEANER



UNLIMITED
OPERATING
RANGE



LIGHT
WEIGHT

	TE-VC 18 Li - Solo EXPERT
PXC battery voltage / capacity	18 V / -
Suction power	42 mbar
Tank	Plastic, 0.54 l
Suction hose length	46.5 cm
Product weight	0.9 kg (excl. battery)
Speed settings	1
Number of batteries / number of chargers	0 / 0
Nozzles	Floor, crevice, upholstery nozzle (1x each)
Filters	1 washable synthesis filter (1x each)
Wall bracket	•
Packaging	Colour box
Article number	23.471.20

CORDLESS STICK VAC CLEANER



	TE-SV 18 Li - Solo EXPERT
PXC battery voltage / capacity	18 V / –
Tank	Plastic, 0.6 l
Product weight	1.05 kg (excl. battery)
Speed settings	2
Number of batteries / number of chargers	0 / 0
Nozzles	Motorised power brush, 2-in-1 universal nozzle, flexible crevice nozzle
Filters	3-fold filter system: pre-filter, replaceable and washable pleat filter, motor filter
Wall bracket	•
Rubberised wheels	•
LED	•
Packaging	Colour box
Article number	23.471.80

CORDLESS ASH VACUUM CLEANER



	TE-AV 18/15 Li C - Solo EXPERT
PXC battery voltage / capacity	18 V / –
Suction power	100 mbar
Tank	Stainless steel, 15 l
Suction hose length / diameter	120 cm / 36 mm
Product weight	3.1 kg (excl. battery)
Filter cleaning technology	•
Carry handle	•
Castors	•
Hose rewind	•
Accessory storage	•
Number of batteries / number of chargers	0 / 0
Pleated filter	•
Packaging	Colour box
Article number	23.517.00

BATTERIES AND CHARGERS.

Choose the battery that is best suited to your application

	Power max.	Art. No.	
5.0 - 8.0 Ah Power X-Change Plus Battery 18 V	1350 W	45.116.00	
4.0 - 6.0 Ah Power X-Change Plus Battery 18 V	1350 W	45.115.02	
5.2 Ah Power X-Change Plus Battery 18 V	1260 W	45.114.37	
4.0 Ah Power X-Change Plus Battery 18 V	900 W	45.115.53	
3.0 Ah Power X-Change Plus Battery 18 V	900 W	45.115.01	
4.0 Ah Power X-Change Battery 18 V	900 W	45.113.96	
2.5 Ah Power X-Change Battery 18 V	720 W	45.115.16	
2.0 Ah Power X-Change Battery 18 V	450 W	45.113.95	
2x 5.2 Ah Power X-Change Twin-Pack	2x 1260 W	45.115.26	
2x 4.0 Ah Power X-Change Twin-Pack	2x 900 W	45.115.89	
2x 2.5 Ah Power X-Change Twin-Pack	2x 720 W	45.115.24	

	Charging times	Art. No.	
2x 4.0 Ah Power X-Change Twincharger Starter Kit	75 min	45.121.12	
2x 3.0 Ah Power X-Change Twincharger Starter Kit	60 min	45.120.83	
5.2 Ah Power X-Change Fastcharger Starter Kit	80 min	45.121.14	
4.0 Ah Power X-Change Starter Kit	75 min	45.120.42	
2.5 Ah Power X-Change Starter Kit	50 min	45.120.97	


2x2 Power X-Quattrocharger 4 A	45.121.02	
Power X-Boostcharger 6 A	45.120.64	
Power X-Twincharger 3 A	45.120.69	
Power X-Fastcharger 4 A	45.121.03	
Power X-Car Charger 3 A	45.121.13	

■ POWER = PERFORMANCE

Powerful: To be ready for the level of performance required in every application there is a choice of batteries with various power values (W).

■ CAPACITY = OPERATING TIME

Enduring: The various capacities (Ah) let you match the battery's operating time with each project.



THE BATTERY GUIDE – IT'S WHAT YOU NEED THAT MATTERS.

All stated values are maximum values. They were determined under standardised test conditions and may differ from the values achievable in everyday operation.



			18 V 2.0 Ah	18 V 2.5 Ah	18 V 3.0 Ah	18 V 4.0 Ah	18 V 5.2 Ah	18 V 6.0 Ah	18 V 8.0 Ah
Cordless Wet and Dry Vacuum Cleaners	TP-VC 36/30 S Auto		8 min 11 min	10 min 13 min	12 min 16 min	16 min 22 min	21 min 28 min	24 min 33 min	32 min 44 min
	TE-VC 36/30 Li S	BOOST ECO	8 min 11 min	10 min 13 min	12 min 16 min	16 min 22 min	21 min 28 min	24 min 33 min	32 min 44 min
	TE-VC 36/25 Li S		8 min 11 min	10 min 13 min	12 min 16 min	16 min 22 min	21 min 28 min	24 min 33 min	32 min 44 min
	TC-VC 18/20 Li S		10 min	11 min	16 min	20 min	25 min	32 min	40 min
	TC-VC 18/15 Li		10 min	11 min	16 min	20 min	25 min	32 min	40 min
	TE-VC 18/10 Li		10 min	12 min	17 min	21 min	26 min	30 min	42 min
Cordless Stick Vac Cleaner	TE-SV 18 Li	BOOST ECO	11 min 25 min	13 min 31 min	18 min 38 min	22 min 50 min	28 min 65 min	35 min 80 min	44 min 100 min
Cordless Handheld Vacuum Cleaner	TE-VC 18 Li		16 min	18 min	23 min	31 min	40 min	46 min	62 min
Cordless Ash Vacuum Cleaner	TE-AV 18/15 Li C		15 min	18 min	22 min	30 min	37 min	44 min	60 min

11 min

BASIC PERFORMANCE – Upgrade recommended

Figures shown in lighter fields (for example see above) indicate that we recommend using a battery with greater power/capacity for full power and the appropriate operating time of the machine.



Max. operating time per battery charge in idle mode



Max. idling time per battery charge in BOOST / ECO mode

CHARGING TIMES



							
Power X-Charger 3 A	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Power X-Twincharger 3 A (parallel charging of 2 batteries)	40 min	50 min	60 min	75 min	100 min	120 min	150 min
Power X-Car Charger 3 A							
Power X-Fastcharger 4 A	30 min	37 min	45 min	60 min	80 min	90 min	120 min
2x2 Power X-Quattrocharger 4 A (parallel charging of 2 batteries)							
Power X-Boostcharger 6 A	30 min	27 min	32 min	40 min	50 min	60 min	80 min

Shorter charging time

-25%

-50%

DUST CLASS L. REDUCING DUST FOR A HEALTHIER WORKPLACE.

Compliance with a dust class is a sign of quality for wet and dry vacuum cleaners. The dust classes are regulated in European standard EN 60335-2-69.

Dust Class L specifies that damaging and harmful dust particles with an exposure limit value of $> 1 \text{ mg/m}^3$ are filtered by the wet and dry vacuum cleaner. Examples include not only normal household dust but also dust particles containing plaster, lime and mica.

This means that wet and dry vacuum cleaners of Dust Class L are ideally suited for standard jobs on building sites when used, for example, in connection with a drywall power sander.



WET AND DRY VACUUM CLEANERS

EXPERT

PUSH BAR

Transport handle with trolley function for easy mobility. The cable holder keeps everything perfectly tidy

AUTOMATIC DEVICE SOCKET

When the connected consumer device is in operation, the vacuum cleaner switches on automatically

STURDY STAINLESS STEEL TELESCOPIC TUBE

Intelligent plug-in connections reduce air turbulence and therefore increase the efficiency of the equipment

Wet and Dry Vacuum Cleaner
TE-VC 2340 SACL

WATER DRAIN SCREW

The water suctioned up can be discharged quickly and effortlessly

SPEED CONTROL

The suction power is infinitely adjustable

FILTER CLEANING SYSTEM

The integrated Filter Cleaning System ensures constant suction performance

HEAVY-DUTY HOSE

The 3.00 m suction hose is flexible and resistant to foot traffic at the same time

ACCESSORY HOLDER

So the accessories are ready to hand and ready for action at all times

LARGE WHEELS AND CASTORS

Thanks to the 2 wheels and the 2 castors the wet and dry vacuum cleaner is easy to move about in the workshop, garage or living area



WET AND DRY VACUUM CLEANERS



TE-VC 2350 SACL

EXPERT

Mains connection	220 - 240 V - 50/60 Hz
Rated input	1600 W S1
Suction power	230 mbar
Tank	Stainless steel, 50 l
Suction hose length / diameter	300 cm / 36 mm
Cable length	600 cm
Product weight	13.1 kg
Cable holder	•
Blow connector	•
Accessory mount	•
Water drain screw	•
Automatic socket	•
ECO Power	•
Filter cleaning technology	•
Heavy-duty suction hose	•
Dust class L	•
Speed control	-
Suction tube	Telescopic, stainless steel
Nozzles	Combination, crevice and upholstery nozzle (1x each)
Filters	Foam & HEPA pleated filter, synthetic dust bag, dual dust bag (1x each)
Article number	23.424.75



WET AND DRY VACUUM CLEANERS



	TE-VC 2340 SACL EXPERT	TE-VC 2230 SACL EXPERT	TE-VC 2025 SACL EXPERT
Mains connection	220 - 240 V ~ 50/60 Hz	220 - 240 V ~ 50/60 Hz	220 - 240 V ~ 50/60 Hz
Rated input	1500 W S1	1400 W S1	1200 W S1
Suction power	225 mbar	220 mbar	200 mbar
Tank	Stainless steel, 40 l	Stainless steel, 30 l	Stainless steel, 25 l
Suction hose length / diameter	300 cm / 36 mm	300 cm / 36 mm	300 cm / 36 mm
Cable length	600 cm	500 cm	500 cm
Product weight	10.1 kg	9.2 kg	6.9 kg
Cable holder	•	•	•
Blow connector	•	•	•
Accessory mount	•	•	•
Water drain screw	•	•	•
Automatic socket	•	•	•
ECO Power	•	•	•
Filter cleaning technology	•	•	•
Heavy-duty suction hose	•	•	•
Dust class L	•	•	•
Speed control	•	•	•
Suction tube	Telescopic, stainless steel	Telescopic, stainless steel	Telescopic, stainless steel
Nozzles	Combination, crevice and upholstery nozzle (1x each)	Combination, crevice and upholstery nozzle (1x each)	Combination, crevice and upholstery nozzle (1x each)
Filters	Foam & HEPA pleated filter, synthetic dust bag (1x each)	Foam & HEPA pleated filter, synthetic dust bag (1x each)	Foam & HEPA pleated filter, synthetic dust bag (1x each)
Article number	23.424.70	23.424.65	23.424.60

WET AND DRY VACUUM CLEANERS



	TE-VC 2230 SA EXPERT	TE-VC 1925 SA EXPERT
Mains connection	230 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	1150 W S1	800 W S1
Suction power	220 mbar	190 mbar
Tank	Stainless steel, 30 l	Stainless steel, 25 l
Suction hose length / diameter	300 cm / 36 mm	300 cm / 36 mm
Cable length	500 cm	500 cm
Product weight	10.2 kg	8.1 kg
Cable holder	•	•
Blow connector	•	•
Accessory mount	•	•
Water drain screw	•	•
Automatic socket	•	•
ECO Power	•	•
Suction tube	Telescopic, stainless steel	Telescopic, stainless steel
Nozzles	Combination, crevice and upholstery nozzle (1x each)	Combination, crevice and upholstery nozzle (1x each)
Filters	Foam, pleated filter, dirt bag (1x each)	Foam, pleated filter, dirt bag (1x each)
Article number	23.423.63	23.423.54

WET AND DRY VACUUM CLEANERS

CLASSIC

AUTOMATIC DEVICE SOCKET

When the connected consumer device is in operation, the vacuum cleaner switches on automatically

BLOW CONNECTOR

Enables hard-to-reach areas to be blow-cleaned with ease as well

Wet and Dry Vacuum Cleaner
TC-VC 1930 SA

WATER DRAIN SCREW

The water suctioned up can be discharged quickly and effortlessly

STAINLESS STEEL TANK

Rust-proof and robust – and therefore really long-lasting

LARGE WHEELS AND CASTORS

Thanks to the 2 wheels and the 2 castors the wet and dry vacuum cleaner is easy to move about in the workshop, garage or living area

ACCESSORY HOLDER

So the accessories are ready to hand and ready for action at all times



WET AND DRY VACUUM CLEANERS



	TC-VC 1930 SA Kit CLASSIC	TC-VC 1930 SA CLASSIC	TC-VC 1820 SA CLASSIC
Mains connection	220 - 240 V ~ 50/60 Hz	220 - 240 V ~ 50/60 Hz	220 - 240 V ~ 50/60 Hz
Rated input	1500 W S1	1500 W S1	1250 W S1
Suction power	190 mbar	190 mbar	180 mbar
Tank	Stainless steel, 30 l	Stainless steel, 30 l	Stainless steel, 20 l
Suction hose length / diameter	250 cm / 36 mm	250 cm / 36 mm	150 cm / 36 mm
Cable length	300 cm	300 cm	250 cm
Product weight	5.3 kg	5.3 kg	4.0 kg
Cable holder	•	•	•
Blow connector	•	•	•
Accessory mount	•	•	•
Water drain screw	•	•	-
Automatic socket	•	•	•
ECO Power	-	-	-
Suction tube	2-piece, plastic	2-piece, plastic	3-piece, plastic
Nozzles	Combination, flat, crevice nozzle (short & long), upholstery, dirt brush	Combination, crevice nozzle (1x each)	Combination, crevice nozzle (1x each)
Filters	Foam filter, pleated filter (1x each)	Foam filter, pleated filter (1x each)	Foam filter, filter bag, dirt bag (1x each)
Article number	23.422.30	23.421.90	23.424.25

WET AND DRY VACUUM CLEANERS

INCL.
NUMEROUS
ACCESSORIES



	TC-VC 1930 S CLASSIC	TC-VC 1820 S CLASSIC	TC-VC 1815 S CLASSIC	TC-VC 1812 S CLASSIC
Mains connection	220 - 240 V ~ 50/60 Hz	220 - 240 V ~ 50/60 Hz	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	1500 W S1	1250 W S1	1250 W S1	1250 W S1
Suction power	190 mbar	180 mbar	180 mbar	180 mbar
Tank	Stainless steel, 30 l	Stainless steel, 20 l	Stainless steel, 15 l	Stainless steel, 12 l
Suction hose length / diameter	250 cm / 36 mm	150 cm / 36 mm	150 cm / 36 mm	150 cm / 36 mm
Cable length	300 cm	300 cm	250 cm	250 cm
Product weight	4.8 kg	3.5 kg	3.0 kg	2.9 kg
Cable holder	•	•	•	•
Blow connector	•	•	•	•
Accessory mount	•	•	•	•
Water drain screw	•	-	-	-
Automatic socket	-	-	-	-
ECO Power	-	-	-	-
Suction tube	2-piece, plastic	3-piece, plastic	3-piece, plastic	3-piece, plastic
Nozzles	Combination, crevice nozzle (1x each)	Combination, crevice nozzle (1x each)	Combination, crevice nozzle (1x each)	Combination, crevice nozzle (1x each)
Filters	Foam filter, pleated filter (1x each)	Foam filter, filter bag, dirt bag (1x each)	Foam filter, filter bag, dirt bag (1x each)	Foam filter, filter bag, dirt bag (1x each)
Article number	23.421.88	23.421.67	23.423.90	23.423.70

WET AND DRY VACUUM CLEANERS

INCL.
NUMEROUS
ACCESSORIES



	TC-VC 1825 CLASSIC	TC-VC 1815 CLASSIC
Mains connection	220 - 240 V ~ 50/60 Hz	220 - 240 V ~ 50/60 Hz
Rated input	1250 W S1	1250 W S1
Suction power	180 mbar	180 mbar
Tank	Plastic, 25 l	Plastic, 15 l
Suction hose length / diameter	250 cm / 36 mm	150 cm / 36 mm
Cable length	250 cm	250 cm
Product weight	4.3 kg	3.6 kg
Cable holder	•	•
Blow connector	•	•
Accessory mount	•	•
Water drain screw	-	-
Automatic socket	-	-
ECO Power	-	-
Suction tube	2-piece, plastic	3-piece, plastic
Nozzles	Combination, crevice nozzle (1x each)	Combination, crevice nozzle (1x each)
Filters	Foam, pleated filter, dirt bag (1x each)	Foam filter, filter bag, dirt bag (1x each)
Article number	23.424.30	23.402.90

WHICH NOZZLE FOR WHAT?



CREVICE NOZZLE:

For hard-to-reach areas, coarse dirt (e.g. kitchen unit, corners in the workshop, between car seats).



UPHOLSTERY NOZZLE:

Dirt in upholstery and carpets (e.g. car seats, living area or scratch-sensitive objects)



COMBINATION NOZZLE:

Water, dirt on the floor (e.g. workshop, bathroom, living area, utility room)

WHICH FILTER FOR WHAT?



PLEATED FILTER – for dry-vacuuming:

The pleated filter cleans the exhaust air from the wet and dry vacuum cleaner and protects the motor from dirt. It is suitable for dry-vacuuming.



NON-WOVEN BAG – for dry-vacuuming:

A non-woven bag has more layers than a paper dirt collector bag and therefore delivers better filtering results. It is therefore particularly suitable for allergy sufferers. Other convincing features are the water-repellent and tear-resistant material as well as the longer life you can expect from your vacuum cleaner.



DIRT BAG – for dry-vacuuming:

The Einhell dirt bag set is available to fit every Einhell wet and dry vacuum cleaner. It is perfectly designed for each area of use and offers high tear-resistance and outstanding filter performance.



FOAM FILTER – for wet-vacuuming:

The Einhell foam filter protects the motor of the wet and dry vacuum cleaner against coarse dirt and also from wetness during wet vacuuming.

CORDLESS WET AND DRY VACUUM CLEANERS / WET AND DRY VACUUM CLEANERS ACCESSORIES



	Dual Dust Filter System	Pleated Filter for dust class L	Pleated filter	Pleated Filter with Lid
Items supplied	1 HEPA filter (class H13 (> 0,3 µm)), 1 dual filter bag	1 pc	1 pc	1 pc
Suitable for	see lists on pages 32/33	see lists on pages 32/33	see lists on pages 32/33	see lists on pages 32/33
Article number	23.512.50	23.511.26	23.511.10	23.511.13



	Flexible Crevice Nozzle, long	Small Universal Nozzle	Universal Floor Nozzle	Drilling Nozzle
Items supplied	1 pc	1 pc	1 pc	1 pc
Suitable for	see lists on pages 32/33	see lists on pages 32/33	see lists on pages 32/33	see lists on pages 32/33
Article number	23.512.04	23.512.10	23.512.15	23.512.33

CORDLESS WET AND DRY VACUUM CLEANERS / WET AND DRY VACUUM CLEANERS ACCESSORIES



	Hard Upholstery Brush	Soft Upholstery Brush	Round Carpet Brush	Set of Nozzles
Items supplied	1 pc	1 pc	1 pc	2 nozzles, 1 brush
Suitable for	see lists on pages 32/33			
Article number	23.512.20	23.512.25	23.512.30	23.512.35



	Car Cleaning Set	Premium Suction Hose	Suction Hose
Items supplied	6-piece set	1 heavy-duty suction hose, 3 adapters	1 hose, 3 adapters
Suction hose length	300 cm	300 cm	300 cm
Suction hose diameter	36 mm	36 mm	36 mm
Suitable for	see lists on pages 32/33	see lists on pages 32/33	see lists on pages 32/33
Article number	23.512.45	23.620.05	23.620.00

CORDLESS WET AND DRY VACUUM CLEANERS / WET AND DRY VACUUM CLEANERS ACCESSORIES



	Fine Ash Filter	Ash Filter
Capacity	18 l	12 l
Items supplied	1 pc	1 pc
Suction hose length / diameter	100 cm / 36 mm	100 cm / 36 mm
Suitable for	see lists on pages 32/33	see lists on pages 32/33
Article number	23.516.12	23.516.06

CORDLESS STICK VAC CLEANERS ACCESSORIES



	Replacement Brush	Replacement Filter	Accessory Set incl. Suction Hose
Items supplied	1 brush	1 filter	1 hose, 1 crevice nozzle, 1 upholstery nozzle
Suitable for	TE-SV 18 Li	TE-SV 18 Li	TE-SV 18 Li
Special feature	Easily changeable	Washable	36 mm hose end, suitable for all standard wet and dry vacuum cleaner nozzles
Article number	23.512.65	23.512.66	23.512.67

ASH VACUUM CLEANERS



	TC-AV 1720 DW CLASSIC	TC-AV 1718 D CLASSIC
Mains connection	220 - 240 V ~ 50/60 Hz	220 - 240 V ~ 50/60 Hz
Rated input	1250 W	1200 W
Suction power	175 mbar	170 mbar
Tank	Stainless steel, 20 l	Stainless steel, 18 l
Suction hose length / diameter	120 cm / 36 mm	100 cm / 36 mm
Cable length	200 cm	200 cm
Product weight	4.1 kg	3.5 kg
Carry handle	•	•
Castors	•	-
Pleated filter	•	•
Additional pre-filter	•	•
Article number	23.516.66	23.516.61

ASH VACUUM CLEANERS ACCESSORIES



Pleated Filter AV

Items supplied	1 pc
Suitable for	TC-AV 1720 DW / TC-AV 1718 D
Article number	23.513.11



Pre-Filter AV

Items supplied	1 pc
Suitable for	all Einhell ash vacuums
Article number	23.513.15





E Einhell

Official Home & Garden Expert

WET AND DRY VACUUM CLEANERS AND ASH VACUUM CLEANERS

Einhell Germany AG

Wiesenweg 22
94405 Landau/Isar
Germany

info@einhell.de
www.einhell.de

Einhell Service

Eschenstr. 6
94405 Landau/Isar
Germany

Tel. +49 (0) 9951 959 2000

Service-DE@einhell.com
www.einhell-service.de



einhell.de

>>>